
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.







In all up-to-date localities a properly equipped seed store is now considered indispensable. It is very generally admitted that the seed needs of a commu-

nity can be taken care of best at the home seed store. The old custom of sending away for seeds is growing less each year and for this reason the home seed store is becoming more firmly a fixture and better able each year to meet the increasing demand for fresh, reliable seeds.

Some of our friends may still cling to the idea that they gain something by sending away for their seeds. All we ask of such is a chance to show that the idea is wrong.

Our Catalogue describes all of the best standard varieties and the newer kinds that have become popular. Our supplies are from the right sources and we offer them at the right prices. We are prepared to fill all orders and solicit the trade of the Market Gardener as well as the amateur planter.

We make a specialty of seeds for the town garden and for the farm garden. Good Seeds are necessary if good crops are expected, and our success depends upon selling you that kind. Call or write, and be sure to let us figure on your order.

Fertilizers

Fertilizer Values Vary. Write for Prices. The value of Commercial Fertilizer is well known. There are many different brands and combinations —cach of which has its value for certain crops and conditions of soil. The element that is lacking in the soil is what the special fertilizer supplies. Write for our prices and for information as to kinds.

Insecticides



Bug Death. This new preparation comes highly recommended after a six years' test. It is sure death to the Potato Bug, and be-sides it acts as a fertilizer. There are hand from very large potato growers. From the reports that we have received in regard to this new insecticide we feel much confidence in

offering it with our indorsement to any of our customers who want a quick acting, sure, non-poison-ous bug killer. It can be used on all vegetables and fruit crop and will give excellent results. 1 lb. package, 15c; 3 lb. package, 40c; 5 lb. pack-

age, 60c; 121/2 lb. package, \$1.25; 100 lb. keg, \$8.00. Slug Shot (Hammonds). Excellent for destroying cabbage, turnip and beet fly, potato bugs, currant worms, etc. Prepared ready for use. **5** lb. package, 30c; 10 lb. package, 50c.

Local Names of Seeds


We frequently have calls for seeds under names that are not generally found in the catalogue. In most cases of this kind there is a standard cata-logue name for the article and we usually locate it easily from the description the customer gives of it. If you do not recognize the desired article from the catalogue names let us know and we shall endeavor to locate it and get it for you if we do not have it in stock.

Sundry Requisites and Supplies

There are many requisites and supplies that we do not have room to list in our catalogue. We aim to have all seasonable articles on hand and can supply all of these at the time they are required. of requisites and different kinds of supplies all having merit. When we know what you prefer in any of these lines we can meet your requirements.

Bulbs, Plants, Etc.

Bulbs, Plants and Shrubs are in a class by them-selves. There are bulbs for spring planting and bulbs for fall planting. Some shrubs do best when planted in the spring, others when planted in the fall. Roots of the perennial plants may be planted in fall or spring. Plants of the small fruits usually do best when solverted in the spring. When yeardy do best when planted in the spring. When ready to order your supplies in this department let us figure on your needs.



PLANTING DIRECTIONS

FOR THE

Southern Gardeners and Farmers



JANUARY

During this month sow Spinach, Carrots, Mustard, Radishes, Beets, Turnips, Leeks and Herb Seeds. Also Lettuce, Endive, Cabbage, Broccoli, Kohlrabi and Early Cauliflower can be sown in frames, so as to protect young plants from cold weather at this time of year.

Chervil, Cress, Parsley, Rouquette, Sorrel; Peas as follows: White and Blackeye Marrowfat, Champion of England, Telephone, Stratagem can be sowed now, with good results.

Sow in hot beds: Eggplants, Peppers, Cucumbers and Tomatoes; the latter can be sown a little late.

Irish Potatoes should be planted this month, the leading varieties have given good results; as Bliss' Triumph, Early Rose, Peerless and Irish Coblers.

Divide and transplant Shallots. Set out Cabbage plants, sown in November.

Onion Seeds can be sown in drills, so as to produce sets, such varieties as Red Creole, Red and White Bermuda, Australian Brown and White Crystal Wax.

Plant Red Rust Proof Oats and Winter Rye for grazing purposes. Also Plant Hairy Vetch, Alfalfa and all kinds of Clover Seeds. Also Dwarf Essex Rape, Orchard and Blue Grasses.

FEBRUARY

Sow Beets, Carrots, Radishes, Parsnips, Spinach, Mustard, Turnips, Kohlrabi, Leeks and Swiss Chard. Sow the early varieties of Turnip and Radish Seeds.

Another sowing of Chervil, Early Cauliflower, Lettuce, Cabbage, Parsley and Soup Celery. The Cauliflower and Cabbage Plants sown last month should be transplanted; also Shallots, divide and set out again.

All varieties of Peas can be planted now; especially the early varieties, in the first part of this month, if not planted in January.

Hot beds, on account of the changable weather during this month, requires a great deal of attention. Give air when the sun shines and the weather is pleasant, otherwise the plants will become spindly. If too thick, thin them out so that they may become sturdy.

Begin to plant Bush Beans as soon as the weather permits; also Cucumbers, Squash and Melons can be planted, as they succeed nicely, if protected by small boxes covered with glass, there is no risk whatever.

At the end of the month Early Corn can be planted. For market use we recommend the Early Adams and White Flint. The Sugar Varieties for family use, but as they are more tender than the other varieties, take advantage and make a good planting this month, if the weather is favorable, otherwise it is better to wait until March. The Stowall's Evergreen is a good favorite; also the Black Mexican, Early Minnesota and the Country Gentleman.

Such field seeds as Alfalfa, Dwarf Essex Rape, Hairy Vetch and all kinds of Clover Seeds can be planted this month as well as in January. Also Stock Beets.

Remember our leading varieties of Seed Corn; as Early Yellow Leaming, White Pearl, Reid's Yellow Dent, St. Charles Red Cob and Creole.

MARCH

Sow Beets, Carrots, Radishes, Mustard, Spinach, Lettuce, Swiss Chard, Leek, Soup Celery, Parsley, Chervil, Rouquette and Endive. The California Butter Lettuce does well the early part of this month; later, the following varieties are very successful in this month's planting: Big Boston, Tennis Ball and Simpkin's Prizehead.

If the weather is favorable, plant Pole Beans of all kinds. Would advise waiting until the last of the month on Lima Beans, as they rot easily when the ground is too wet or too cold. Sow Squash, Cucumbers, Melons and Okra. The same rule applies to Okra as to Lima Beans.

Set out Tomato, Eggplants and Pepper Plants in the open ground and sow seed for later crop. Also plant Sweet Corn.

Sorghums, Kaffir Corns, Milo Maize, Broom Corn and Field Corn, which is a very appropriate time for planting. Also Lespedeza, Alfalfa, Velvet Beans, Soy Beans, Canada Peas, Cowpeas, etc. We advise the planting of the Field Corn adapted and selected for planting purposes, as the cheaper grades often put on the market by commercial houses, are not suitable for seed, therefore the best is the cheapest in the end.

APRIL

In this month sow Beets, Carrots, Mustard, Parsley, Radishes, Chervil, Soup, Celery, Lettuce, Endive, Melons, Okra, Squash, Tomatoes, Eggplants and Peppers. It is rather late for Cabbage seed now, but if sown, the early varieties may be successfully used. Kohlrabi can still be sown, but it is best to sow thinly and drill a foot apart, then thin out to four inches in the row, instead of transplanting. Toward the end of this month a sowing of late Italian Cauliflower can be made, as it takes from eight to nine months to mature, and therefore should be sown early. It is always better to make several sowings, so that in case one should fail, the other may be used.

As for field planting, continue as in previous months; planting Corn, Lespedeza, etc.

MAY

During this month very few vegetables can be sown. Hardly any of the winter varieties, if sown now, will do well. Where Potatoes and Onions were taken up, Corn, Melons, Cucumbers, Squash and Pumpkins may be planted.

Collards for Greens can be sown this month, as it stands the heat better than any other. During hot weather, growing Lettuce requires a great deal of water, as it will, if neglected, soon become hard and tasteless. In fact, it requires a great deal of labor to raise good Lettuce during the summer months. The All Season is the best for summer use. Okra can be sown now.

Lima or Pole Beans can be planted; the Kentucky Wonder is the best varieties for late planting. Early Cabbage and Cauliflower seeds can be sown the latter part of this month.

Plant Mangels and Sugar Beets for feed; also Sorghum, Millet, Cowpeas, Soy Beans, Velvet Beans, Field and Broom Corn, Mexican June Corn, planted now does well. Also German and Siberian Millets.

JUNE

This month is somewhat similar to the preceeding; that is, not a great deal can be sown. The growing crops will require attention, as weeds grow very fast now.

Corn may be planted for the last supply of roasting ears, also a few Water and Musk Melons. Cucumbers, Squash and Pumpkins planted during this month, generally do well, but if the weather is hot and dry they require an abundance of water.

Late Cabbage for winter crops may be sown in this month, as the plants are easier grown now than the following month.

Sow Okra, White Radishes, Endive and Lettuce for salad. Another sowing of Eggplants, Tomatoes and Pepper would be very profitable for a fall crop.

The same field seeds can be planted this month as in last, such as Mexican June Corn, Cowpeas, Soy and Velvet Beans, Millets, etc.

JULY

Sow Cucumbers, Tomatoes, Radishes, Turnips, Beets, Parsley and Mustard.

In the early part of this month Tomotoes may be sown for the last crop, if not sown last month. Towards the latter part, plant Pole and Bush Beans. The Pickling varieties of Cucumbers does well, planted in this month. Also Early Cauliflower. Endive and Lettuce.

In new ground, some Turnips and Ruta Baga can be sown, but it is sometimes better to wait until next month as they are likely to become hard and stringy.

In the middle of this month Cabbage Seed may be sown, as Superior Late Flat Dutch, Improved Drumhead and Flower City Flat Dutch.

Some seasons we have early frost, other season's not before January, and Cabbage is most easily hurt when heading up. When plants are half grown or when they are headed, they are not effected by the cold weather. Therefore we would advise two or three sowings, at different times, thereby making due allowance for failure. As a general rule, plants grown from seeds in July and August give the best results, they are almost sure to head.

The Early Brunswick and Large Wakefield are the largest of the early varieties and should be sown in July and August, so that they may be headed when cold weather sets in.

All Cabbage requires a good, strong soil. The ground should be well fertilized with either stable manure, Cottonseed Meal or Nitrate of Soda, but we consider Cowpeas planted on the cabbage land and plowed under the cheapest and best fertilizer.

Plant Pole, Bush and Lima Beans the early part of this month.

Set out Tomato plants for the late crops, if not done so already. If Celery Plants are set out during this month they require shading.

For the ravages of the insects, we carry Hammond's Slug Shot, Nicotine, Paris Green, Tobacco Dust and Arsenate of Lead, prepared by the Corona Chemical Co., of which we are special agents.

Continue the planting of the Field Seeds mentioned in the previous months, as a large quantity of feed must be planted at this time of the year, as it is sometimes very difficult to get a proper stand.

AUGUST

During this month gardeners in the South are very busy with sowing and planting.

Sow Beets, Carrots, Chervil, Lettuce, Endive, Kohlrabi, Mustard and Cabbage.

Plant Extra Early Bush Beans and Early Washington Peas, also continue the sowing of Cabbage, Savoy, Broccoli, Brussel Sprouts and Kale: sow Early Snowball Cauliflower the early part of this month. Proper time to sow Radishes, French Breakfast, Chartiers, Long and White Tipped, etc.

Sow Parsley, Roquette, Chervil, Lettuce, Endive, Sorrel and Celery, but if the weather is very dry, these seeds will have to be watered frequently. It is best to cover Parsley and Celery Seed with moss or brush, until it begins to come up.

Ruta Baga and White Turnips may be sown during this month and towards the end, sow the early varieties, as Purple Top Strap Leaved, White Flat Dutch and Purple Top Globe, etc.

During this month Onion Sets can be set out. Also sow Peas, such as Early Alaska, First and Best, Champion of England and Marrowfat.

We would add, that in the event, that the weather should be too dry, would advise not to plant Carrots, Beets and Celery, as the seed will not germinate. Better to wait until next month.

Plant Cowpeas, Field Peas, Velvet Beans, Sorghums, Dwarf Essex Rape, Hairy Vetch and Red Rust Proof Oats, also Winter Rye and Turf Oats.

SEPTEMBER

Nearly all seed recommended for last month can be sown this month, but some more should be added to them. In the early part, plant Bush Beans, as they will bear before frost sets in. Also plant early varieties of Peas, such as Early Alaska and Early Washington. All kinds of Radishes, Carrots, Beets, Parsnips, Salsify, Roquette, Chervil, Parsley, Sorrel, Cress, Lettuce, Endive, Leeks, Turnips, Kohlrabi, Broccoli, Early Cauliflower, Kale, Celery, Corn Salad, Mustard and Spinach, can be sown this month.

Begin sowing Creole Onion Seed, Bermuda, Red and White, also White Crystal Wax after or about the 15th. It is always better to sow about this time; if the weather is somewhat dry, it would be advisable to cover the seed-bed with moss or brush, after seed has been sown, it will keep the moisture in the ground and insure germination. As soon as the young plants make their appearance, the moss or brush must be removed. For the main crop the end of the month is the proper time.

Transplant Celery in ditches made for the purpose.

Set out Onion Sets and Shallots. Also plant Fall Potatoes, if not planted last month.

As for Field Seed, plant the same as in last month.

Remember, we have Cabbage, Cauliflower and Celery Plants at this time. Refer to price list,

OCTOBER

This is the month when Artichokes should be dressed, the suckers or sprouts taken off and transplanted. Onion Seeds can be sown up until the 10th of this month, but it is better to get it in the ground earlier, so that the plants will get large enough before cold weather sets in.

Toward the end of the month White and Blackeyed Marrowfat Peas and White Creaseback Beans can be planted.

Sow Cabbage, Spinach, Cauliflower, Broccoli, Brussel Sprouts, Kale, Mustard, Swiss Chard, Carrots, Beets, Salsify, Leeks, Roquette, Corn Salad, Parsley, Chervil, Kohlrabi, Radishes, Lettuce, Endive and Parsley. Divide and transplant Shallots, set out Onion Sets.

Salsify or Oyster Plant, which does well here, must be sown now for good results. It requires a fine, mellow ground, which has been deeply spaded, as the size and smoothness of the roots depends on the preparation of the soil. Do not manure the beds, but use such land for Salsify, which was manured in the spring.

At the end of the month, some of the Celery which has been planted early may be earthed up against the plant. Water frequently with emulsion of Whale Oil Soap.

Plant Rye, Wheat, Red Rust Proof Oats, Turf Oats, White, Red, Crimson and Burr Clovers and Alfalfa. It is advisable to inoculate Clover Seeds with Farmogerm, which is recommended and endorsed by our State Experiment Stations here.

Lehmann's Seed Store

NOVEMBER

During this month continue to sow all varieties of Winter Vegetables as in the previous month. Sow Flat Dutch and Drumhead Cabbage, as they will make fine heads in spring, also other late and second early varieties.

Sow Champion of England and other varieties of Peas, they are not easily effected by frost as long as they are small and during this time of the year, they will not grow fast. Marrowfat or White Creaseback Pole Beans may be planted, as they are hardy enough to withstand the frost. Hot beds should be gotten ready for Cucumbers; mahure for same should be less than one month old. Throw it together in a heap so it will heat, then fork it over again, so the long and short manure will be well mixed.

The first vegetable planted in hot beds are Cucumbers; it is best to start them in two inch or three inch pots, and when two rough leaves, appear transplant them into their places. Two good plants are sufficient under each sash. They are very delicions and profitable at this time.

Continue to plant all Field Seeds mentioned for October.

DECEMBER


During this month not a great deal is planted, as the ground is generally occupied by growing crops. Peas for general crop may be planted. Some Potatoes may be risked as, on account of cold weather during January and February, it is very uncertain whether they will succeed or not.

Sow Spinach, Lettuce, Roquette, Radishes, Carrots, Endive and some Cabbage may be sown.

Sow early varieties of Cauliflower, such as Dwarf Efurt and Early Paris in frames or a shelter situated in the open ground; transplant them in February. Of early Cabbage, sow Early Large Wakefield, Early York and Winningstadt. Sow Tomatoes in cooled-off hot beds; the best kind for the purpose is the Dwarf Champion, which is very productive and of good size and bears in clusters.

Sow Alfalfa and all varieties of Clovers, Hairy Vetch, Dwarf Essex Rape, all kinds of Grasses, Winter Rye and Oats.

IRON AGE & PLANET JR. Farm and Garden Implements



SEEDERS AND FERTILIZER DISTRIBUTERS

Space will not permit illustrating and describing all of the tools. but we will gladly send fully illustrated catalogue free for the asking, to any address. Remember, the machines are the recognized standards through the world, and are guaranteed by the manufacturers.

Lehmann's Seed Store



Is a pure culture, or growth of Nitrogen-Fixing Bacteria that have been selected and bred up to transform large amounts of Nitrogen from the air into Souble Nitrates

HIGH BRED NITROGEN GATHERING BACTERIA

Farmogerm on Alfalfa

LOUISIANA STATE UNIVERSITY, COLLEGE OF AGRICUL-TURE AND AGRICULTURAL EXPERIMENT STATIONS.

BATON ROUGE, LA., Sept. 2, 1913.

12 31 11

Earp-Thomas Farmogerm Co.:

**The cultures which you sent me last year were used and gave very good results. I planted some of the Peruvian Alfalfa on the station ground here, and the inoculated seed gave strong plants that lived through the summer; while the uninoculated seed gave only weakly plants that mostly died out during the spring months.

(Signed) C. W. EDGERTON.

What Farmogerm Will Do

Unless the soil is very acid or wet, Farmogerm will:

1. Increase the yield and quality of legume crops, giving quicker growth and earlier maturity.

2. Increase the food value of legumes,

3. Make legumes grow in new localities where they cannot otherwise be grown successfully.

4. Supply Nitrates to other crops growing with the inoculated legume crop.

5. Enrich the soil for future crops, thereby increasing the permanent value of the farm. Better crops, better soil, less fertilizer, less labor.

Peas, Beans, Sweet Peas

Yield earlier, longer and better when treated with Farmogerm. Farmogerm is endorsed by farmers, Federal and State Agricultural Departments and private estates. It is delivered to you in bottles—you can inoculate the seed for ten acres in ten minutes.

PRICES:

Five-acre Bottles, per bottle \$6.00One-acre Bottles, per bottle....\$2.00 Garden Bottles, per bottle...... $50 \neq$ Lehmann's Seed Store

Spray Your Cattle, Vegetables and Trees

Single Action Continuous Compressed

Air and Dust Pumps



Dust Blowers and Dust Buckets 50c, 75c, \$4.50 \$5.50, \$7.00, \$9.00 and Etc.

INSECTICIDES

"Cattle Comfort"

Whale Oil Soap

and Tobacco Dust




Arsenate of Lead Paris Green and

Bordeaux Mixture



Hand Broadcast Seed Sowers



PRUNING AND HEDGE SHEARS, ETC.

We use every effort possible in the selection of our seeds, and feel justified in saying that all our seeds are the purest and best to be found, but at the same time, their being so many things beyond the control of man that spoil the best seeds and cause poor crops, that it is impossible to guarantee seeds. Therefore, while we exercise great care to have all seeds pure and reliable, we sell no seeds with warranty, expressed or implied in any respect, and are not in any way responsible for the crop. Prices of Seeds vary. We quote Market Values upon request and always give our customers the benefit

of the lowest price that the market condition will warrant. Special prices on a general list will be given upon application. LET US HEAR FROM YOU.

ARTICHOKE



The Globe Artichoke is cultivated for its flower-heads, which are cooked like asparagus. Plants set in any good soil, with slight covering in winter, will remain in bearing several years. Large Green Globe. The standard variety. Jerusalem. This variety is not produced from seed, but is culti-vated for its tubers which are especially valuable for stock feeding.

ASPARAGUS

GREEN GLOBE and covering from six to eight inches. On the approach of whiter cover with the beds early in the spring, and apply a dressing of salt. Cut for use the second year after planting, in permanent bed.

ASPARAGUS SEED

Columbian Mammoth White. A new and entirely distinct variety that produces shoots that are white, and remain white as long as fit for use. Conover's Colossal. The standard variety; of large size, tender and of excellent

quality Palmetto. It is of very large size, even and regular in growth and appearance. It is a very early sort, and immensely productive and of the best quality.

ASPARAGUS ROOTS

Two Years Are Gained if Roots Are Planted.

Columbian Mammoth White. 2-year-old roots. Conover's Colossal. 2-year-

old roots. Barr's Mammoth. 2-year-old-roots Palmetto. 2-year-old roots. Prices on any variety of 2-year-old roots per 100, 75c; per 1000, \$6.00.

BRUSSELS SPROUTS One Ounce of Seeds to 100 Yards of Row.

100 Yards of Row. A variety of the Cabbage fam-ily, possessing the peculiarity of bearing upon its stem or stalk from 50 to 100 buds resembling miniature Cabbage heads. The leaves composing these heads re-semble Savoy Cabbage in their crumpled texture and also in their color. The heads or buds, from 1 to 2 inches in diameter, form one of the most delicious garden vege-tables, only equaled by the Cauli-flower. Treat same as Cabbage. Autumn-grown Sprouts, drilled in May and transplanted in July gen-erally do best, as the plants are quite hardy and the buds mellow under frost.

under frost.





BROCCOLI

One Ounce of Seed to 100 Yards of Row.

A plant much resembling the Cauliflower, and like it derived from the wild Cabbage. Broccoli requires a longer season to develop than Cauliflower. It has more numerous and stiffer leaves, and the heads are smaller. Large Early White. Large white head, resembling Cauli-

flower.



BUSH BEANS

Beans are easily frost killed, so plant them at corn planting time on light dry land. Cold, wet weather will rot the seed in the ground and fresh manure causes a rank growth of vine with a lack of pods. If hand cultivated, beans can be drilled in poor soil as close as eighteen inches; but in rich soil with horse cultivation thirty inches is required. Drill six beans to the foot and cover one inch deep; or plant in hills eighteen by twenty-four inches. One quart should plant 250 feet and two bushels plant an acre. Expect a picking after six weeks. Plant every third week for a succession up till Aug. 1st in the latitude of Chicago. Pick beans before the bulge of seed appears, and pick beans clean to continue the plants bearing. Give beans shallow culti-vation, and do not till the soil when the plant is in bloom or the plant in self-defense will drop its bloom. To cultivate when wet is to invite rust.

Green Pod Varieties.

Refugee or 1000 to 1. The vines are large, spreading, exceedingly hardy, with small smooth leaves, very late and bear long cylindrical green pods of excellent quality. Highly esteemed for late planting and for use as Pickles.

Black Valentine. A very hardy and productive green podded sort, with strong, vigorous vines. Pods rather flat but very handsome, much longer, straighter, less fleshy than the Red Valentine, the plant a little more spreading, and in season a little later.



BRUSSELS SPROUTS

BUSH BEANS, Green Pod-Continued

Burpee's Stringless Green Pod. A very desirable green podded snap sort for the home garden and largely grown for the market. The vine is vigorous, spreading and productive. The pods are larger than those of the Red Valentine, but are quite as fleshy, of equally high quality and remain crisp and tender longer. Early Red Valentine. For snaps there is nothing superior to this variety among the dwarf green podded sorts both for the home and market garden and many prefer it to the wax varieties. Vines medium to large, erect, with dark green leaves. Pods medium length, curved, cylindrical, with crease in back, very fleshy, crisp and tender. Early Mohawk. One of the oldest and best known sorts. The red is

Element in the second s

for market or home use.

Long Yellow Six Weeks. The vine is large, vigorous, branching and pro-ductive, with large leaves. Pods long, straight, thick, flat in shape, green in color, of good quality when young and fair as they near maturity.

color, of good quality when young and tair as they hear maturity. Tennessee Green Pod. This dwarf snap bean, although new to the Seed Trade, has for several years been grown in the South, and wherever known is freely spoken of in terms of highest praise. Dwarf Horticultural. Vines very productive, compact, upright, with large leaves. Pods medium length, cylindrical, curved, with splashes of bright red on a yellowish ground.

DWARF LIMA VARIETY

As limas require even more heat than other beans, a failure will follow a too early planting. The beans when favorably planted throw out from what we term the bean's eye a stout root; this root in turn lifts the bean above the ground. The bean then opens its halves, or false leaves or cotyledons and the true leaves soon follow. If in planting the bean is thrust into the soil eye down and just below the surface, the bean is in a favorable position to begin its growth. However, the crop can be secured though with a lesser percent of germination by dropping the bean in any position.

Bush limas are earlier than pole limas and are planted in twenty-four to forty inch drills, three to six inches apart in the row according to varie-ties. One quart plants one hundred twenty-five to one hundred fifty feet. Treat pole limas like other pole beans, using one quart to one hundred

hills. Burpee's. The bush form of the true, luscious, large lima. Fordhook. The bush form of the chubby or Potato Lima. Henderson's. This is a bush form of the small Seiva pole bean.

EARLY RED VALENTINE

BUSH BEANS, WAX POD

BUSH DEADS, WAX POOD
Teacher RED VALENTINE
Barding the pool of good length; shape semi-round, thick meated, stringless and of exceptional quality. A strong round, thick meated, stringless and of exceptional quality. The pools are meaty and well fulled; thick, the young and semi-round, barder, thick flat pools of good length variety of remarkable vigor and freedom round; the pools are meaty and well fulled; thick meated string beam of exceptional quality. The pool and the pools are meaty and the pools of the best for exceptional quality. The pool are round, brittle, of handsome golden yellow color and fair guality.
The pools are round, brittle, of handsome golden yellow can be and pool and the pools are meaty and the pools of exceptional quality. States are round, brittle, of handsome golden yellow and pools of exceptional quality. When you are round, brittle, of handsome golden yellow can and of buttery flavor when cooked.
The pools are round, brittle, of handsome golden yellow color even introduced. It is a market gardening sections of the West. It produces a deep golden colored pool of good length; shape semi-round, thick meated, stringless and of exceptional quality. A strong rowing bush variety of remarkable vigor and freedom from rust. The pools are meaty and well filled, thick. The yood quality. We shall be are round, there are you desire and productiveness with every fille string in early stages, developing a little when nearing maturity. Fit for table use and productiveness, and its long, shender, straight, handsome pool shaped very much like a pencil.
There was after planting.
Productiveness, and its long, shender, straight, handsome pool shaped very much like a golden.
The full pool fille the pool way. Pencil Pool Black Wax grows a taller, stronger and more vigorous bush than productiveness, and its long, shender, straight, handsome pool, shaped very much like a pencil.
There were planting.
Profil Pool Black Wax. Pencil Pool Black Wax g

POLE BEANS

The pole bean climbs, sometimes needing a little training over any support given to it, be that support the growing corn stalk; rough stakes from the wood lot; bam boo or painted stakes; chicken wire or a convenient fence; supported wires or strings or some porch or trellis. A good practice is to set firmly in the ground every three or four feet each way, poles that are, when set, about six feet. Some time after bunch beans are planted one inch deep near the base of each stake and later thinned to three or four plants to the pole. One-half bushel of pole beans generously plants an acre, and one pint plants one hundred hills. The pole bean bears over a longer period than the bunch bean and is generally considered of superior quality, but it requires more labor, longer time to mature, and is more sensitive to adverse climatic and soil conditions. Note that this vine turns only one way around its support. When too old for use as a green snap bean, use any bean shelled, or still later, when it is hard and dry, it remains equality, serviceable.

remains equally serviceable.

Kentucky Wonder. Vine vigorous, climbing well and very productive, dry beans, long, oval, dun-colored. Scarlet Runner. A great favorite, both ornamental and useful.

London Hortlcultural, or Speckled Cranberry. Beans large, ovate, splashed and spotted with wine red, and of the highest quality, either green or dry.

Red Speckled Cut Short. (Corn Hill.) This is the best sort to plant in hills of corn.

Dutch Case Knife. Vines moderately vigorous, climbing well, but twining more loosely than some and so may be used for a corn hill bean.

Dreer's improved Lima. Also called Challenger Lima, Thorburn's Lima, Potato Lima, etc. This is a bean of rather peculiar shape, being thick and plump rather than flat and oval.

King of the Garden Lima. This is the grand old standard market and family sort, which nothing can displace from public favor.

White Creaseback. This variety is especially valuable for its extreme earliness.

Lazy Wife. Immensely popular everywhere.

Small White Lima, Carolina or Sieva. Very early and productive, pods short, curved, thin, flat, beans white, small, kidney-shaped.

Siebert's Early Lima..... Brocton Pole.....

THE SEED SHORTAGE

So urgent has become the European demand for Food due to the war that very frequently their seed crops have had to give way to the growing of such crops as may be utilized for food. In many cases, the majority of experienced employees of the best foreign seed growers have been called to the war, leaving behind only those who are either too young or too old for war services to look after the growing and harvesting of seed crops. This will of necessity mean a lessened production and perhaps a production of some inferior seed. In America adverse weather conditions from planting until harvest time, early frost, anthracnose in beans, etc., joined with the unusual foreign situation to make the seed production for this year much less than normal. Therefore we advise the early buying of seed before some of the varieties wanted are exhausted.

TABLE BEETS

As soon as the soil can be worked in spring sow beet seed in twelve to eighteen inch drills for hand hoeing or eighteen to thirty inch drills for horse cultivation, dropping twelve seed to the foot. Cover the beet seed, which is really a beet fruit containing one or more seeds, one-half inch deep. Later thin the beets to stand five to the foot. Planted April first the early varieties should be marketable June first or the crop may be advanced several weeks by starting under glass and transplanting to the open, first giving the beet tops a severe pruning. Use one ounce of seed to one hundred feet of row, and five or six pounds to the acre. Beets sown in early July should be ready to store in pits or in sand in the cellar when freezing weather begins.



CROSBY'S EGYPTIAN

Crosby's Egyptian Beet. The name of this variety is mislead-

Crosby's Egyptian Beet. The name of this variety is mislead-ing, as it resembles the Egyptian only in its extreme earliness. They are also more spherical than the Extra Early Egyptian and we think of better quality. One of the best for early plant-ing out of doors. Crimson Globe. This is one of the finest beets yet introduced. Roots are not large, but very handsome. Round, and a clean, smooth surface. Leaves very small, with slender stems. Early Egyptian. The well-known early variety. Color, extra dark, shape flat, quality excellent. Bastians. An extra early variety, much esteemed by market men East and South. Color light. Half Long Blood. One of the best for winter use. The roots are only half as long as the Long Blood, but weigh as much on account of their thickness. They are always smooth and hand-some and their rich, dark red flesh is very sweet, crisp and ten-der, never becoming woody, even in the exposed portions. Long Smooth Blood. The standard long late sort. Very dark, blood-red flesh, quality fine.

some and then field field and the field for field field field field for field field field for field field field for field field field field for field field field field for field field field for field field field field for field field field for field field field field field field field field for field field field field field field field field for field field

MANGEL WURZELS

Mangel Wurzel, called also stock beet, or cow beet, is a very large beet growing mostly above the ground and all stock eats it greedily. Plow the soil for it deeply and in May or June, plant six Mangel seed to the foot in two to three foot rows, later thinning to a ten inch stand. One ounce sows generously one hundred feet of row, and an acre requires five to six pounds. When a light frost has occurred, lift the roots, store in pits or cellars and the mangels are soon ready for feeding.

Long Red. A large, long variety grown for stock feeding. It stands up well above the surface; color light red; flesh white and rose colored.

Yellow Globe. Globular shaped roots. More productive than Long Red in shallow soil. Very nutritious and a good keeper.

Golden Tankard. Shape cylindrical, color deep rich yel-w, flesh yellow circled with white. Unequaled for feedlow, flesh yellow circled with white. ing stock.

Norbiton Giant Long Red. Very large, excellent variety for feeding stock. Orange Globe. We think this one of the best varieties

of mangel wurzel.

SUGAR BEETS

The Sugar Beet, grown for the manufacture of sugar, and frequently used for stock feeding, is a yellowish white beet, smaller than the mangel, but containing a much greater percent of sugar. In growing the sugar beet is treated like the mangel, except that only six or eight inches of space is given each beet in the row.

Vilmorin's Improved Sugar. In general the most desirable beet for the factory is the one containing the largest percentage of sugar. In this variety we have one of the richest beets in cultivation.

Klein Wanzleben. A little larger than Vilmorin's Im-proved, yielding from twelve to eighteen tons per acre, and containing about the same amount of sugar. It grows below the surface, and the green leaves are rather large and spreading, with wavy edges.

Lane's Imperial Sugar. Good for making sugar, also ock feeding. A hardy and productive soft. Yields fourstock feeding. A hardy and productive sort. teen to sixteen tons per acre, and contains about 16 per cent of sugar.

Giant Half-Sugar. This unites the large size of the mangel with the greater feeding value of the sugar beet. The roots average ten to twelve inches, and the outline is that of a broad, thick wedge. The upper portion is of a soft bright pink, shading lighter toward the bottom where the lower portion for about one-third the length is white.




GOLDEN TANKARD MANGEL

CARROTS

The carrot, whether used raw, fried, boiled, or stewed; used alone or combined with other vegetables or meat, is not surpassed in nutritious healthfulness by any other vegetable catalogued. Plant carrots in the latitude of Chi-cago from the time the soil can be worked in Spring till July 1 in one to two-foot rows for hand cultivation, or in thirty-inch rows where a horse-drawn tool is used. Use one ounce of seed to one hundred feet of row, three or four pounds to the acre, covering one-half inch deep, and later thin to a four-inch stand. To cultivate the rows at an early date sow radish seed, which germinate quickly, with carrot seed, which germinate slowly. Do not over-look the value of this crop as a stock food.

John boling to the acte, coeffing one that mind the dep, and fatter thin to a the an early date sow radish seed, which germinate quickly, with carrot seed, look the value of this crop as a stock food.
Early Short Horn. A fine carly variety, good for home use. Eastern market gardeners use this sort for bunching.
Guerande, or Ox Heart. Tops small for the size of the roots, which are comparatively short, but often reach a diameter of 7 inches, terminating abruptly in a small tap root. Flesh, bright orange, fine grained and sweet. This is a desirable variety for soil so hard and stiff that longer growing sorts would not thrive in it. When young, excellent for table use, and when mature equally good for stock.
Chantenay. Tops medium size; necks small; roots tapering slightly, but uniformly stump rooted and smooth; color, deep orange red; flesh very crisp and tender. Although this is a medium early sort, it furnishes roots of usable size as early as any, is a heavy cropper, and is undoubtedly to a blunt point; flesh sweet, crisp, tender, while its great productiveness makes it very desirable as a field sort.
Danvers. Grown largely on account of its great productiveness and adaptability to all classes of soil. Tops medium sized, coarsely divided. The smooth and handsome roots are deep orange, of medium length, tapering uniformly to a blunt point; flesh sweet, crisp, tender and of a deep orange color. This is a popular field variety, and although the roots are shorter they produce as large a bulk as the longer field sorts and are more easily harvested.
St. Valery. A good late variety Grows long, shape uniform, tapering from a wide shoulder to a point.
Large White Belgian. Grows one-third out of the ground. Root pure white, green above ground, with small top. Flesh rather coarse. The roots on light, rich ground, grow to a large size, and are extensively grown for stock feeding.
Improved Long Orange. The most popular of the older sorts for farm use o



CAULIFLOWER

Cauliflower, while it resembles cabbage and requires very much the same treatment as outlined under and for cabbage, is not so hardy as cabbage, needs more water, needs more cultivation and requires generally treatment superior to cabbage. Cauliflower cannot be expected to mature satisfactorily in hot, dry weather, and as it requires one hundred ten to one hundred fifty days for different varieties to mature, its planting should be correctly timed. Start caulifower under glass or where cabbage plants can be wintered, winter caulifower. One ounce gives two thousand five hundred plants and one-fourth to one-half pound of seed plants an acre. When the head or heart of caulifower, as you may think or feel of it, called the "curd," appears, tie the outer leaves over the head or pin these leaves with wood pins or beef skewers so the leaves will shade and blanch the curd and then cut the curd before it starts to branch. Remember that all the enemies of cabbage emphatically attack cauliflower and are to be combated in a like manner. Early Snowball. The leading cauliflower in all sections, and unquestionably the purest strain of cauliflower

seed to be had. Heads uniform, of desirable market size and of snowy whiteness. After seven years' competi-tive tests it is pronounced by expert cauliflower growers to be the best for both early and late planting.

Large Algiers. A valuable late sort sure to head, of the best quality, and very popular with market gardeners everywhere. Plant large, but of upright growth, the leaves protecting the heads so that they will endure uninjured a frost that would ruin other sorts. One of the very best of the late sorts.

CELERY

Press celery seed into the ground, do not try to cover it, and when seed is kept wet and not above 60° F. germination occurs in ten to twenty days. Celery needs four to five months from seed to use, so very early celery should be started in hotbeds after January, and when two inches high transplanted or thinned to a space of two inches. Later trim the tops to produce stocky plants and when five inches high set where plants are to mature, first trimming off one-third of the roots and leaves. Celery seed may be planted out of doors north of Ohio in April and treated as the outlined above. Given sufficient water, celery can be grown on any good garden soil and one ounce of seed gives above 6,000 plants.

When almost grown, celery must e blanched; that is, the light is be blanched; that is, the light is excluded from the edible stock by the use of boards, earth, paper or other covering. If boards are the use of boards, earth, paper or other covering. If boards are used rows can be set as close as-thirty inches, if earth blanched forty-eight inches or more is bet-ter. Set the plants six inches apart in the row and press the soil firmly about the roots. Again colory is set in solid beds eight

soil firmly about the roots. Again celery is set in solid beds eight inches each way, and the shade of the crowded bed does the blanching. With a few stalks in a garden a tile set over the plant or a wrapping of paper answers the purpose. If earth is used in blanching it should be drawn about the plant to one-third its height and repeated twice a few days apart till leaves only are exposed. Do not cultivate hill or disturb celery when damp or rust may occur. In this hilling with earth called handling place a peg at end of row with string to it and pass string about each plant so as to prevent earth from falling into the heart during the work. To store, celery should be only partly blanched. When freezing begins lift plant with some soil and store in a cave, cold frame or cellar, temperature close to freezing point preferred. Use slats to keep celery in long six inch wide spaces, for if too deeply packed it may heat and spoil. If plants wilt water the roots, not the stalks. Celery matures best in cool moist weather, so the grower farther south may delay this planting calendar to fit his own market and convenience.

to fit his own market and convenience.

Golden Self-Blanching. The best self-blanching sort. It acquires a handsome golden color without having to be hilled up, which makes it a valuable market sort.

White Plume. A good self-blanching sort, good for fall use, but does not keep well.

Giant Golden Heart. This variety attains a large size, but still remains crisp and tender. It is a fine keeper and is the favorite on the Chicago market.

Kalamazoo. This is the variety used by the celebrated celery growers of Kalamazoo. Mich., and is of great merit.

Perfection Heartwell. A finely flavored, good keeping sort, hardy and solid. Crawford's Half Dwarf. The favorite variety in eastern markets; a good keeper of vigorous growth.

Pink Plume. Similar to White Plume, but having stalks suffused with pink.

Giant Pascal. This is the best keeper of all of the late sorts; very solid and crisp. This variety is unsurpassed for market garden.

Winter Queen. It has the strong, robust growth of the Giant Pascal, but the plants, being only of medium height, are of better length for bunching for market as well as more desirable for serving on the table. Evan's Triumph. One of the best late sorts.

Boston Market. For many years one of the most popular sorts in the markets of Boston.

GERMAN CELERY OR CELERIAC

Large Smooth Prague. Has a large smooth root, and is the finest of all celeriac. Apple Shaped. Not as smooth as the above but of good form. Turnip Rooted. This is the ordinary and well known variety.




5

CABBAGE

Cabbage grows successfully on a wide variety of soils and experience points to liming, deep plowing and heavy

Cabbage grows successfully on a wide variety of soils and experience points to liming, deep plowing and heavy manuring as successful practices. Cabbage plants when properly hardened by gradually being brought to a low temperature and the quantity of water in them diminished will stand any frost and some considerable freezing. Yes, a cabbage plant raised at a high temperature and full of water will be killed by even a light frost. Cabbage can be grown by planting the seed usevily where the crop is to grow and thinning the plants, but a better practice is to raise the plants without crowding in a seed bed, which is not richer than the field to which the plants go and transplant, if possible on a cloudy ad, watering the plants is dry. South of the Ohio seed is frequently plants out of doors in september and wintered in cold frames or in very southern localities the plant is Fall set on a shady side of the furrow to avoid as much as possible the deadly freeze and thaw. For early cabbage north of the Ohio, sow seed in hot beds in February, transplant to cold frames in March, and set outside in April, or sow seed out of doors as soon as the soil can be worked in spring, covering the seed one-third inch deep. All vegetable plants are best when grown without check, so let as much soil adhere to the roots of the plant in transplanting as will hold, and set outside, need thirty or more inches each way. A convenient setting for Wakefield Cabbage is eighteen inches each way, while large late varieties, horse sult varieties to be worked by hand as close as eighteen inches each way, while large late varieties will readily give ultred out of a sub and energy in stry days from transplanting. One ounce of seed will readily give in eulary cabbage begins frequently in sixty days from transplant. One ounce of seed will readily give if your market asks small cabbage for home use. The hearts will be hearts of the plant should have four to far or a succession and study the market's demands; don't grow big sauerkraut factory heads if



EARLY JERSEY WAKEFIELD

Early Jersey Wakefield Cabbage. The most popu-lar of the pointed head varieties. Exceedingly early, a good cropper, heads of good size, solid and uniform.

form. Early Spring Cabbage. The earlist flat head, nearly as early as Jersey Wakefield. Yieldsmorethan the early pointed heads. Solid, uniform and finely grained heads. Early Winningstadt. An early nointed head voriety

early pointed head variety of excellent quality, not as early as the Wakefield but larger.

Henderson's Early Sum-mer. A standard summer variety. Heads large and solid

Fottler's Early Bruns-wick. An early fall variety, well known and popular. All Head Early. One of the finest early flat-head

cabbages. Early York. A standard pointed head variety, sec-A standard

ond early. Early Dwarf Flat Dutch. Early Dwarf Flat Duton. An early cabbage of good size. Heads are flat and

Henderson's Succession. A good summer cabbage; also makes a good cabbage to succeed itself.

All Seasons. A fine variety for any season, a good shape and size. Volga. One of the earliest main crop cabbages of superior quality. Very desirable where a large, uniformly ad head with short stem and compact growth is wanted. Early Drumhead. This popular variety follows the Faultless in heading and is one of the most valuable variround Early Drumhead. eties grown.

eties gröwn. Louisville Drumhead. This fine cabbage is very popular with the kraut makers. It is a medium late variety. Faultless Cabbage. The favorite second early cabbage. The product of this seed outsells any other second early cabbage. It can be marketed in the early summer, during midsummer, in the fall and early winter, making it the best all purpose variety. Glory of Enkhuizen. This is an excellent mid-summer variety. It comes in about a week earlier than All Sea-sons, makes a nice large head, has few outer leaves and can be planted close. Our tests show it to be worthy of a place among the new varieties of merit and we can recommend it as a good addition to the list. Copenhagen Market. A new early variety, popular with market gardeners. It is one of the finest early round-headed cabbage in cultivation. It is desirable on account of the remarkable characteristic of maturing the heads all at the same time, enabling the grower to gather his crop with less expense and permitting the cleaning of the land at the first cutting.

land at the first cutting.

The kitchen gardener or critical market man who wants a quick and even maturing cabbage that resembles Danish Ball Head will find Glory of Enkhuizen and Copenhagen Market unquestionably the best.

CABBAGE



PREMIUM FLAT DUTCH

Cabbage Seed is one of the things that requires care in the selection. Price should be held in minor importance compared with quality. The best is always the Cheapest.

The Lupton. The Lupton Cabbage is the result of an effort to combine in one variety the best qualities of the secondearly and the late sorts. It is a little earlier than any one of the various strains of Flat Dutch and Drumhead.

Premium Flat Dutch. This variety of late cabbage is a standard in all sections for winter use. It makes a large solid head which keeps long without bursting, and is adapted to a more varied climate than probably any other variety we grow.

Improved American Savoy. Closely approaching the cauliflower in delicacy and delicious flavor. The best of all the Savoys for general market or home use. It has a short stump, grows to a large size, is compact and solid, and is a sure header. Mammoth Rock Red. The largest heading of any red sort. Heads are hard, of deep red color, quality


excellent.

Red Drumhead. The standard pickling variety. A good keeper. Prairie Winter Cabbage. This new cabbage is a direct cross of the Luxemberg and the Holland and combines the good points of both. It has the shorter stem and more lasting color of the Luxemberg with the rounder head of the Holland. The combination gives a cabbage that is superior to either. Large Late Drumhead. A late variety of large size.

Sure Head. A fine variety for main crop. A good shipper and sure header. Stonemason Drumhead. A late large heading variety; but not as fine grained as others. Marblehead Mammoth. A large late variety of fairly good quality.

Danish Ballhead Cabbage. For a winter cabbage for early spring sales some gardeners consider this variety excellent. It has been selected and perfected for more than fifty years by the Danish gardeners, who prize it so highly that they grow it almost exclusively for winter cabbage, and annually export large quantities of it. It is hard heading, and long keeping Heads round cabbage. as a ball, solid, fine grained, has few outer leaves, tender, crisp and of unexcelled flavor.

Holland. The favorite winter cabbage with market gardeners. It is as hard as a rock, and a small head will weigh as much as a large head of any other variety. The leaves lap over and make a head in which there is no waste.



HOLLAND WINTER CABBAGE

SWEET CORN

Plant corn every two weeks for a continuous supply and north of the Ohio from late April to late July. Plant corn in three or four foot drills, dropping a grain every eight to sixteen inches, or plant in hills three or four feet each way, giving six grains to the hill and later thinning to three stalks. Corn should be planted about one inch deep, planted deeper in sand than in heavy clay; planted deeper later in the year when the soil is warm; dwarf varieties closer together than the larger ones and a given quantity of seed of a small grained variety plants a larger area than does a like quantity of the large grained. One quart generally plants two hun-dred fifty hills and one peck is necessary to the acre. Sixty-five days is a short time to maturity. Plow deep-ly for corn, cultivate shallow and pick corn before it is too old. If the goodness of new corn tempts a too early planting, do not blame the resulting failure on your seedsman. Mammoth White Cory. The ears are twelve rowed, white cobbed, and covered with very large white grains of good quality. Early Cory Red Cob. This variety is the favorite for first early, and no other variety has proved earlier. White Cob Cory. This is an improvement over the Early Cory, as the Early Cory and of excellent quality. Chicago Market or Ballard. This is the largest and best early corn in existence, twelve rowed, white cobbed and of exceedingly fine quality. Constant of the tower of the largest and best early corn in existence, twelve rowed, white cobbed and of exceedingly fine quality. Constant of the tower of the largest and best early corn in existence, twelve rowed, white cobbed and of exceedingly fine quality. Constant of the tower of the short term and is then atomized to the deared there in the short term of the tower term is the tower term in the short term of the tower term is the tower term is the term of the tower term is the term in the term of the term in the term in the term is the term of the term term of the term in the term is the

quality

In existence, twelve rowed, white cooped and of exceedingly line quality. Premo Sweet Corn. A "sixty-day" sweet corn, and is thus described by the originators: "It not only combines all the merits of the lead-ing early varieties, but it is also really superior to them all in size, quality and yield. Premo can be planted fully as early as the Adams for the young plants withstand slight frosts." Extra Early Adams. This is an extra early field variety, but is much used as an early market variety, being sweet and juicy. Early Minnesota. One of the standard early sorts. Ready for market two weeks later than Cory or Chicago Market. Perry's Hybrid. An early variety of splendid quality. Kernels tinged with pink when ripe, with white cob. New Champion. This corn is unsurpassed for market use, owing to its large size and fine appearance. It is medium early. Golden Bantam. A very early sweet corn with golden yellow grain, very tender and of excellent quality.

and popular.

Moore's Early Concord. A well known, early variety of large size, twelve rowed and of excellent quality. This makes a fine market corn.

corn.
Kendall's Early Glant. A valuable early sweet corn.
Crosby's Early. An early corn of large size and choice quality. It has long been a standard variety.
Metropolitan. A new early sort, only a few days later than Cory.
Country Gentleman. There is no sweet corn that compares with the Country Gentleman for sweetness.
Black Mexican. This corn, when in condition for the table, cooks remarkably white; but the ripe grain is black or bluish-black.
Old Colony. This variety is two weeks earlier than the Evergreen, and almost as large.
Early Evergreen. The ears of this new corn grow 8 inches long, are mostiy 14 to 18 rows.

Early Evergreen. The ears of this new corn grow 8 inches long, are mostly 14 to 18 rows. Zigzag Evergreen. This fine new strain possesses distinct charac-

teristics.


Mammoth A large late variety having ears of mammoth Sugar. size, 14 to 20 rows.

LEONARD'S NARROW GRAIN EVERGREEN

A new type of Evergreen bred up by S. F. Leonard after years of selecting. It is as large as Stowell's, more uniform in shape of ear, has longer, narrower grains, more sugar and less starch. The best corn for canning or marketing.

CUCUMBER

<section-header><section-header><section-header><text><text><text><text><text><text><text><text><text><text>





CRESS

True Water Cress can be easily grown by sowing the seed broadcast on garden soil and keeping the soil very wet till the plants are big enough to transplant to shallow indenta-tions about five inches deep here and there along the sides of a clean flowing stream. There it will continue to spread by the lengthening of its roots, also by reseeding and requires no further care. The crop can be grown to maturity in wet garden soil, or the seed can be sown directly to the mud along the stream, but with lesser measures of success. April or September is a good time to plant these minute seeds, and this aquatic prefers to stand with its roots and most of its stems submerged. Cutting can begin in about sixty days, and a little later frequent cutting, using a sharp knife, will stimulate plant growth.

Stimulate plant provth. Curled or Pepper Grass, a pungent, quick-growing plant that poorly parodies the water cress flavor, can be grown in any garden soil as soon as the ground can be worked. Plant one-half inch deep in one foot rows, thinning the plants to four inches. four inches.

COLLARDS

Georgia, Southern or Creole. A variety of cabbage known in different sections as "Colé," "Colewort," or simply "greens." It is extensively used in the south, where it con-tinues in luxuriant growth all winter.

CHERVIL

A hardy annual, worthy of more general use for flavoring and garnishing. Sow in early spring in rich, well prepared soil, and when plants are well established transplant to about one

foot apart. Curled. Greatly superior to the old, plain variety, being earlier, more handsome, and having fully as fine perfume and flavor.

CHICORY

(FRENCH ENDIVE) Witloof Chicory The principal merit of this variety consists in the width of its leaves and the large size of their ribs. When blanched, it forms the vegetable which the Belgians call Witloof. When properly grown and blanched it resembles a head of Cos Lettuce. Large-rooted, or Coffee. Our stock is the improved type, with very much larger, smoother, whiter and proportionately shorter roots than the old kind. The dried and prepared roots are used quite extensively as a substitute or adulterant for coffee.

CARDOON (CARDO)

Smooth Solid Cardoon. Grown from the mild ribs of the leaves which are blanched and used in the same manner as celery. The main root is also used and when cooked in a proper way, is excellent. Thorough blanching is necessary in order to bring out the delicacy of flavor possessed by the Cardoon.

DANDELION

Cultivated or French Common. This is considered the best by many and is not at all the same as our wild gandelion, being greatly improved by careful selection.

Improved Thick Leaved. One of the earliest and best greens in cultivation.

EGG PLANT

Treat the egg plant like a tender tomato that required even a longer period to mature. After cabbage plants are out of the hot-bed or greenhouse, which is April north of the Ohio, sow egg plant, keeping even the night temperature above seventy degrees. One ounce of seed gives two thousand plants, and one pound plants an acre. Transplant later to pots or to a three or four inch stand, and when corn is shoe high, put egg plant outside on rich well drained land. Set the plants two feet apart in four feet rows, shading or watering the plants if it's sunny or dry. Use any good stomach poison for the potato bug when he attacks the egg plant. when he attacks the egg plant.

WITLOOF CHICORY

Improved New York Purple Spineless. Very large and smooth, fine dark color. Ours is the spineless plant, most preferred by our market gardeners, both east and west.

Black Pekin. A fine variety, bearing large, round, deep, purple fruits, fine grained, and of superior quality.

Early Long Purple. Early, hardy and productive; excellent for the table.

CORN SALAD

Fettlcus, or Lamb's Lettuce. This small salad is used during the winter and spring months as a substitute for lettuce, and is also cooked and used like spinach. In warm weather the plants will mature in four to six weeks. Sow the seed in shallow drills about one foot apart. If the soil is dry it should be firmly pressed over the seed in order to secure prompt germination. On the approach of severe cold weather, cover with straw or coarse litter. Like most salad plants, greatly improved if sown on very rich soil; indeed, the ground can scarcely be made too rich for them.



EGG PLANT

ENDIVE

Endive, or winter lettuce, used as a salad, as greens or garnishing, is usually planted one-fourth inch deep in a seed bed in mid-summer, and when convenient after a month transplanted to stand one foot apart in eighteen inch rows. When almost grown and about two weeks before ready to use, it is blanched by tying the leaves together with soft cord, or the blanching is by turning a flower pot or tile over each plant, or by blanching with earth, like celery. The blanching removes the green plant's acrid taste. The plant may be, but seldom is, used as an early spring crop. Three to five pounds of seed plants an acre.

Green Curled. Beautifully curled, tender and crisp. Moss Curled. More finely curled, and a heavier and more dense plant than Green Curled. White Curled. Very tender when cut young; blanches readily. Broad-Leaved Batavlan. (Escarrole.) This variety is chiefly used in soups and stews; requires to be tied up in blanching.

AROMATIC, MEDICINAL AND POT HERBS

Most of the varieties thrive best on rich sandy soil, which should be carefully prepared and well cultivated, as the young plants are for the most part delicate and easily choked out by weeds. Sow as early as the ground can be made ready, in drills sixteen to eighteen inches apart, taking pains that the soil is fine and pressed firmly over the seed; or they may be planted as a second crop, the seeds sown in beds in April, and the plants set out in June. Most of them should be cut when in bloom, wilted in the sun and thoroughly dried in the shade.

Annis	Horehound
Caraway	Sweet Marjoram
Coriander	

Dill Sage—Broad Leaf......

Saffron Savory, Summer..... Thyme

KALE OR BORECOLE

In Virginia, kale planted in late August has some of its plants thinned out and sent to market within sixty days and the cutting then continues until the field is clean in April. Further north, kale is treated like the cabbage; that is, planted early in spring in hot beds or out of doors, and it is used in the fall when light frosts have improved it. Kale is sown in two to three foot drills and thinned to six to twenty-four inches, according to varieties. One ounce sows generously one hundred yards and four pounds plants an acre. Siberlan Kale, or Winter Sprouts. This is also called German Greens and is sometimes sold for Dwarf Green Curled Kale, but it is not as curly as the Dwarf Curled Kale and is different from it in color. The leaves are smooth in the center, having a fringed edge. Color has a bluish tint, not the deep green of the Dwarf Curled Kale.

Kale.

Kale. Dwarf Green Moss Curled. Leaves yellowish green, very compact and beautifully curled; sow in September for winter and early spring use. Dwarf Curled Scotch. Leaves bright green, curled, very tender and fine flavored; an excellent sort for private

gardens.



DWARF CURLED SCOTCH KALE

KOHL-RABI

This relative of the cabbage, that looks like a turnip that grew above the ground, can be treated very much as either cabbage or turnips. One ounce sows one hundred yards and four pounds plants the acre. Sow in eighteen to twenty-four inch rows, thin to four inches apart and use for the table when small. Like the turnip, we cannot expect good kohl-rabi in the summer heat, but a planting made about August first north of the Ohio will give a crop for winter storage. Do not overlook the value of this plant as a stock food. food.

Earliest Erfurt. A white tender variety, with a smooth root and very short top; the best variety for outdoor culture.

Early Short Leaved White Vienna. The finest for market. Flesh white and tender.

Early Purple Vienna. Bluish purple; similar to the above, except in color. Large Green. Hardy, quite late, and used for feeding stock. Bulbs large, weighing 8 to 10 pounds, whitish green in color; leaves large and numerous.




This mild member of the onion family is used in soups and salads. Sow one ounce to one hundred feet of row or four or five pounds to the acre one-half inch deep. as early as the soil can be worked in spring. Thin the plants to a stand of four to six inches in the twelve to eighteen inch rows. It is advisable to throw earth to the plant to blanch it, very much as celery is blanched. is blanched.

Large American Flag. Large, hardy and of excellent quality,

Giant Carentan. The favorite market variety, large, thick stem, of mild flavor and attractive appearance.

Musselburgh. Grows to a very large size, with broad leaves, spreading like a fan; hardy, of excellent quality. London Flag. An old and popular sort; one of the hardlest and best for

winter use.



LETTUCE

As lettuce will stand considerable freezing, it may be seeded or transplanted out-of-doors as soon as the soil can be worked in spring. For a succession, replant every three weeks till within sixty days of freezing weather. The soil cannot be made too rich and this crop must be grown quickly and unchecked to be of superior quality. North of the Ohio lettuce is frequently started under glass like cabbage in hot beds; in February transplanted to cold frames and hardened to be set out-of-doors in early April. In more southern or milder winter climates, lettuce may be sown in autumn, protected with sash or coarse litter and in late winter trans-planted; or thinned and matured where planted. When the crop is matured under glass it requires much vent-liation and little heat, and beware of too much water in cloudy weather. In the summer's heat canvas or a slatted half shade and plenty of water is of value. One ounce of seed gives two thousand plants and three pounds plants an acre. In the seed bed drop twenty-five seed to the foot, and gently rake it in; failure may result from too deep a covering. Mature lettuce in twelve to eighteen inch rows, giving the loose leaf varieties three to eight inches in the row and head lettuce six to twelve inches. Black Seeded Simpson. This is the most popular early sort on the market. Forms large, loose heads. Leaves thin and exceedingly tender, of light green to golden yellow. Best sort for forcing or outdoor early planting. Early Curled Simpson White Seed. Forms a close, compact mass of curly yellowish green leaves. Good for cold frames or early planting for outdoors. Grand Rapids Forcing, Preferred by a great many to the Black Seeded Simp-son, on account of being a tougher leaved lettuce. This makes it a fine sort for shipping, as it does not break so easily and stands longer without wilting. Paris White Cos. The Cos lettuce differs entirely in shape from the other varieties. the head being elongated and of conical form, eight or nine inches in height, and five or six inches in diameter.



BLACK SEEDED SIMPSON

Hanson. Heads large, hearts quickly and stands the summer well; quality excellent. New York. The large white heads resemble cabbage in their solidity, and frequently weigh two and three pounds each. The quality is superb, being crisp, rich and tender. It withstands the heat well, making a fine variety for all seasons.

The Deacon. A magnificent butter head lettuce. It stands the hot weather without becoming bitter or running to seed, and bears fine, large heads of superb quality. Light green outside, and within a beautiful cream yellow of delicious rich, buttery flavor. Highly recommended for home or market use.

Early Tennis Ball, White Seed. A good early sort, and used largely by eastern gardeners for forcing.

Early Tennis Ball, Black Seed. A good lettuce for early use. The heads are small, but very crisp and solid.

California Cream Butter. A grand, good butter lettuce. heads are of good size, round and solid; outside, medium within, the leaves are a rich cream yellow color. Rich The green within, the leav buttery in taste. Rich and

All Seasons. One of the best all head lettuces, standing the hot sun better than any other sort. Slow to seed.

May King. Plant this lettuce for the first early head lettuce.



BIG BOSTON

HANSON

It is equally good for outdoor planting or forcing. The outer leaves have a slightly brownish tinge, while the heart is a beauti-ful yellow, very crisp and tender.

ful yellow, very crisp and tender. Big Boston. This variety is identical in color, shape and general appearance with the famous Boston Market Lettuce, but is double the size. It is about one week later in maturing, but its solidity and greater size of head will make it a most valuable sort. A most desirable variety, either for forcing in cold frames or open ground planting.

St. Louis Head. The most popular and satisfactory head lettuce with market gar-deners. It forms a fine head, is tender and crisp, and is very slow to run to seed. Outer leaves are light green, and the inner ones are bright, creamy yellow, of a very fine flavor. Altogether, we recommend it as be-ing the best head lettuce for general use.

Hubbard Market. A large heading variety, good for either forcing or sowing in open ground.

MUSK MELON

Musk melen, water melon, cucumbers, gourds and squash are known as cucurbits. For musk melon follow our cultural directions for cucumber except that where a robust growing variety of musk melon is grown, a space of as much as six by six feet is sometimes required between hills. One ounce of seed plants fifty hills, and three pounds plants an acre. The crop or the last planting for a succession should be in by June, north of the Ohio. While not necessary, it is advisable to plnch off the branches of the musk melon if a quicker matured or a larger or a better fruit is required. Pick the melon when it parts from the stem without diffi-culty and store a few days in a cool room.




Jenny Lind. Vines rather small but vigorous and produc-ve. Fruits small, somewhat flattened, deeply ribbed and ell netted. Flesh green and exceedingly sweet. Skillman's Netted. An excellent early melon with fine, tive. Fruits well netted.

Skillman's Netted. An excellent early melon with fine, tender flesh. Netted Gem. The best early melon known. Shipped to every market of note in great quantities every year. Medium size, but of excellent flavor. Early Hackensack, The fruits are nearly two weeks earlier than Hackensack, medium to large sized, nearly round or somewhat flattened, evenly and deeply ribbed and with very coarse netting. The skin is green, slightly tinged with yellow as the fruits mature. The flesh is green, a little coarse but juley and sweet. Hackensack, or Turk Cap. A very large, green fleshed melon. The vines are hardy, vigorous and productive. The fruits are nearly round, usually somewhat flattened; ribs large and of irregular width, densely covered with coarse netting.

netting.

Rocky Ford. This has become one of the most popular of small or crate melons and is shipped in large quantities from Colorado and Arizona. The vines are vigorous and productive. The fruits are oval, slightly ribbed, densely covered with fine netting. Flesh green, very sweet and highly flavored.

Chicago Market. This we consider the best Nutmeg for earliness of maturity, large and uniform size, thickly netted skin, small seed cavity, deep green flesh, julcy delicious flavor and freedom from rot. A favorite with all who prefer a green flesh sort.



EARLY HACKENSACK



THE OSAGE MUSK MELON

Paul Rose. A yellow fleshed sort of suitable size for a crate melon and of excellent quality. Vines vigorous and productive. Fruits oval, slightly ribbed and densely netted.


Emerald Gem. A very early, yellow fleshed melon of small to medium size. One of the very best for the home garden.

Burrel Gem. This is an orange fleshed netted Gem or Rocky Ford.

or Rocky Ford. Tip Top Musk Melon. The illustration shows a specimen of our strain of this popular melon. This very productive melon is of medium to large size, nearly round, slightly ribbed and fairly well covered with shallow netting. The flesh is deep vellow in color. The universal testimony of every one using Tip Top is that every fruit produced, whether big or little, early or late in the season, is a good one-sweet, juicy, finest flavor, firm, but not hard-fleshed, eatable to the very coating.

Baltimore, or Acme. The fruits are medium sized, oval or long baltimore, or Acme. The fruits are medium sized, oval or long oval, slightly pointed at stem end, slightly ribbed, and are covered when ripe with coarse netting. The flesh is thick, green, well flavored and sweet. This variety is a very productive, sure cropper of good quality.

The Osage. Is of medium size, oval in form, dark green in color, somewhat netted and slightly ribbed. The flesh is extremely and uniformly thick, of firm texture, rich salmon in color; highly flav-ored and delicous to the rind. Cavity very small. It is a remark-able keeper and a good shipping melon.



TIP TOP MUSK MELON

WATER MELON


For water melon, follow our cultural directions for cucumbers, except that it is necessary to give the water melon a space of eight to ten feet between hills, and thin the plants to two to the hill. One ounce plants twenty-five hills and three pounds of seed plants an acre.


Sweetheart Water Melon. This melon is early, large, handsome, heavy and productive. The shape is oval and the color mottled light to a very light green. Flesh bright red, solid, but tender and very sweet.

Florida Favorite. A very large, long melon mottled dark green with stripes of lighter shade. Rind thin but firm; flesh very bright, deep red, very sweet, tender and excellent.

Cole's Early. Very hardy, a sure cropper and extremely delicate in texture of flesh, which is of dark red color; rind is thin and extremely brittle, hence not desirable for shipping purposes, but possessing all the other most desirable features. We highly recommend it for home use.

Kleckley Sweets. A splendid sort. Vine vigorous and productive. Fruit of medium size; oval, dark, mottled green in two shades, forming indistinct stripes.





KLECKLEY SWEETS

SWEETHEART WATER MELON

Gypsy, or Georgia Rattlesnake. One of the largest varieties and stands shipment long dis-tances. Fruit cylindrical, square at the ends, smooth, distinctly striped and mottled light and dark green. Flesh bright scarlet and very sweet dark green. sweet.

Ice Cream. Medium sized with very sweet, scarlet flesh. A good variety for main crop. Kolb's Gem. Vines of medium size, but re-markably vigorous and healthy. markably

markably vigorous and healthy. Tom Watson. Originated near Augusta, Ga., a few years ago; very prolific—six carloads on ten acres often made; shape long; color dark, deep green; no stripes. Vick's Early, Peerless, Triumph, Dark Icing, Jumbo, Cuban Queen, McIver's Sugar, Dixie, Duke Jones, Red Seed Citron, Light Icing, Bradford, Phinney's Early, Green Seed Citron, Mountain Sweet, Halbert Honey, Success, Ice-bero. berg.

MUSHROOM SPAWN

For the money invested, no more profitable crop. Once started, it is easy to continue. The supply never equals the demand, so that market is easily secured. English. 1 ib. Bricks.

MUSTARD

Mustard is grown for its seed, which is used for flavoring or medicinal purposes or grown for its leaf, which is used in salad or cooked like spinach. Sow mustard as soon as the soil can be worked in spring and every three weeks for a succession, or in the south it may be sown in the fall for early spring greens. Cover the seed lightly in twelve to eighteen inch drills. Cut the leaf when not over four inches high and expect this cutting in fifty days from the seeding.

Giant Southern Curled. The favorite of the south.

Fordhook Fancy, or Ostrich Plume. Same as above. Chinese or Large Leaved Mustard. The large leaves which often measure 14 inches, are ready for use in about six weeks after sowing. Plants will continue to yield until frosty weather. Leaves are eaten boiled, like spinach.

Bloomsdale, Large Leaved. Same as the Chinese Mustard described above.

White. Best for general use. Brown. Stronger than above.

NASTURTIUM


Tall Mixed Garden. Grown not only for ornament but the beautiful orange colored flowers and foliage are used for garnishing and the young leaves or shoots are excellent for salads. The green seed pods are greatly esteemed by many for use in mixed pickles.

Dwarf Mixed Garden. Same as above, except that it grows in dwarf form.



DESCRIPTIVE CATALOGUE OF SEEDS

SPECIAL GLOBE ONIONS



RED GLOBE

WHITE GLOBE

VELLOW GLOBE

Our three Globes bring more money to the onion grower and sell quicker than any other varieties. Our Yellow Globe is the Standard Yellow, our Red Globe is the Standard Red, and our White Globe is the Standard White. These

White. These stocks are quite superior to the ordinary run of Southport Globes. Red Globe. A fine large globe-shaped onion, of mild flavor. It is a good keeper, excellent for main crop. White Globe. A very handsome onion, of splendid quality. Keeps well. It has a good, strong flavor. The best sort for early green onions from seed. Yellow Globe. This is a large, handsome yellow variety. Shape, perfectly globular; quality fine. A splendid keepset.

keeper.

ONION SEED—Standard Sorts

Study the demands of your market to know what onion that market requires. As soon as the soil can be worked in spring, and not after May 1st, sow onion seed in twelve to fifteen inch rows, leaving out every tenth row as a weed alley if preferred. One ounce of seed plants one hundred fifty feet and five to six pounds plants the acre. The black slow germinating seed should be covered famly one-fourth inch deep. Quantities of manure had best be applied in the year before the planting, and much commercial fertilizer, high in potash, harrowed in immediately before seeding. Begin cultivation as soon as the plant can be seen; cultivate frequently and when convenient thin to a stand of two to four inches.


of two to four inches. In the so-called new onion culture the onions are started in hot beds and easily transplanted when the size of slate pencils to the required stand in the field. Large Red Wethersfield. We have a very fine and select strain of this sort. Color is deep purplish red, flesh white moderately grained and very firm. Yields an enormous amount per acre, and is one of the best winter

keeping onions. Extra Early Flat Red.

white moderately grained and very firm. Yields an enormous amount per acre, and is one of the best winter keeping onions.
Extra Early Flat Red. This variety matures from ten days to two weeks earlier than the Red Wethersfield. The color is a deep rich red, fine grain and close.
Australian Brown Onion. Is of medium size, wonderfully hard and solid and most attractive for market, both as to form and appearance. The color of the skin is a clear amber brown.
Southport Yellow Globe. A large, perfectly shaped Globe cnion and an excellent onion for keeping throughout the winter. A very heavy cropper, handsome in appearance and a good dark yellow color.
Yellow Globe Danvers. This fine onion is of large size. An early and abundant cropper. Bulbs very thick, flat or slightly convex bottoms full oval too with small neck and rich brownish yellow skin.
Michigan Yellow Globe. The bulbs are large and uniformly spherical with very small necks and the largest diameter below the center of the bulbs of a rich orange color.
Ohio Yellow Globe. An early Globe onion, small neck and very uniform in size and color. Very popular in the southport Red Globe. This is a fine keeper. Large size and considered one of the best red onions. Flesh is fine grained, very mild and tender.
Philadelphia Silver Skin. Very desirable for family use. Flavor mild and pleasant.
White Portugal. American Silver Skin. This is the best sort to sow for onion sets or for pickling. When sown thickly for either it makes a small, round hard bulb.
Southport White Globe. This grows to a very large size and firm, very fine grained, other a fair Winter keeper, as it ripens up hard and firm, very fine grained, and of mild, delicate flavor. The outside skin is rich yellow while the flesh is white. To get the best rom this onion the seed is sown in beds and transplanted. It will, however, make a good crop if sown in the ordinary way.
Early Flat Yellow Danvers. A good variety,

New White Queen is a line carly sirver shance thready in the Bermudas and southern part of the Bermuda Red. A very early pale red onion, grown extensively in the Bermudas and southern part of the United States for early shipping to northern markets. Bermuda White. Mild flavored; yellowish in color; otherwise same as red. Crystal White Wax. This variety is popular in the south where the transplanting method of culture is Bermuda White Crystal White practiced.

ONION SETS



RED

WHITE

YELLOW

Onion Sets. Should be planted as early in the spring as convenient, to obtain early green onions, but theymay be set at any time up to June 1st. Set in rows a foot apart and three to four inches between them in therow. Any good soil will suit them. When grown in quantity, high cultivation is given in order to forward thecrop for an early market. They are ready for use as soon as the bulbs begin to be of fair size. Those not usedin green condition will ripen early in July and make nice Onions. Potato and top onions are grown from bulbsonly, growing in clusters. These clusters are separated and the smaller ones kept for seed. There is no cropyou. Why not grasp the opportunity offered. Our Sets are carefully grown and choice; they will give thelargest returns for the money invested if the product is sold, or excellent green onions for home use at a timewhen a fresh green vegetable is needed.The varieties of Onion Sets are:Red Bottom Sets
Winter Top Sets
Yellow MultipliersWhite Bottom Sets
Yellow Bottom SetsYellow Multipliers

OKRA OR GUMBO

The pods of this plant are used in a great number of ways throughout the Southern States, and the plant should be more frequently grown in the north. Plant at corn planting time in rich land, sowing the seed thickly in two or three foot drills, and thinning to an eight to twelve inch stand, according to varieties. A generous planting is two ounces to one hundred feet and ten pounds to the acre. Okra seed may be planted six seed to the hill, two to three feet apart and thinned to two plants to the binst of the second secon

planted six seed to the first, and fine new variety, much dwarfer than the ordinary dwarf Prolific or Density. A fine new variety, much dwarfer than the ordinary dwarf okra, and much more productive. Short, thick pods. White Velvet Okra. The pods are perfectly round, smooth and of an attractive white velvet appearance; of superior flavor and tenderness. Tail Green. A favorite at the south; called also Perkins Mammoth Long Pod.

PARSNIP

Plant one-year-old parsnip seed as early as the soil can be worked in spring and do not cover this slow germinating seed deeper than one-fourth inch. Use eighteen to twenty-four inch rows, thinning the plants to a four inch stand. One-half ounce of seed sows one hundred feet and three to five pounds plants an acre. This crop requires the entire season to mature, and as frost improves the roots, they may be left in the ground all winter. Both as to quantities and its feeding values, the parsnip is a valuable stock feed. Hollow Crown. Roots comparatively short, with a very smooth, clean skin. The variety is easily distinguished by the leaves arising from a depression on the top or crown of the root. Guernsey. The best sort for heavy, black soils. Where the soil is exceedingly rich this is the variety needed, as it makes a fine shaped root which does not grow too long.

long.

OKRA



CHAMPION MOSS CURLED

PARSLEY

Parsley used for garnishing and for seasoning can be planted as soon as the soll can be worked in spring. Cover the slow germinating seed one-fourth inch deep in twelve to eighteen inch rows, later thinning to a six inch stand. One-fourth ounce sows one hundred feet and three to five pounds plants an acre. Double Curled. The standard sort for outdoor culture, also highly prized by market gardeners for the greenhouse. Champion Moss Curled. A very fine curled variety. One of the handsomest for garnishing purposes. The exceedingly curled leaves make it desirable. Fern Leaved. This sort has a peculiar, fern shaped leaf. It is not so desirable as the more curled sorts. Hamburg Rooted, The standard rooted sort. The leaves are used for soup, greens, and the roots, when sliced, are much esteemed.

esteemed.



PEAS

As to a superiority between smooth and wrinkled peas it is all a matter of individual taste, but the preponderance of taste is in favor of the wrinkled varieties.

ALL VARIETIES OF PEAS, REGARDLESS OF HEIGHT, MAY BE GROWN SUCCESSFULLY WITHOUT A TRELLIS OR SUPPORT. As peas vary in height from six inches to six feet, it follows that the distances in the row and apart in the row should vary. Dwarf or half dwarf varieties are best planted in double or companion rows six inches apart to support and shade each other in their growth; then leave a space of eighteen to thirty inches, according to height of the variety, and repeat the double row. The tail varieties that may be given sup-port are planted in single rows, the space between the rows somewhat less than the height of the variety. Drop ten to twenty dwarf peas to the double row or six to ten tail peas to the foot of row, using one quart to one hun-dred feet and three bushels to the acre.

Plant all peas at least five inches deep in soil that has been deeply plowed. This deep planting is the grow-er's attempt to give the peas the cool, damp climate they prefer. Lightly harrow or rake the soil when the peas should be breaking through, and continue to cultivate till the vine stops the work.

All peas stand some frost and may be planted as soon as the soil may be worked in spring. Peas should be planted frequently for a succession all north of the Ohio. The early varieties are planted in August for a late autumn crop.

All peak stand some rost and may be planted as soon as the soft may be worked in spring. Peak should be planted trequently for a succession all north of the Ohio. The early varieties are planted in August for a late au-tion of the spring of the set of the other oth

wrinkled. Everbearing. Vigorous and branching in habit of growth. Height, 2½ to 3 feet. Pods, 2% to 3 inches long. Broad, light colored and blunt. Fit to pick 70 days from planting. Seed green, wrinkled, large in size. Horsford's Market Garden. Strongly re-sembling Premium Gem in habit of growth, but about one-third taller, vines growing 26 to 30 inches high

30 inches high.

but about one-tind taller, vines growing 26 to so inches high.
 Early May Improved. This pea is one of the best of the 'White'' earlies and is superior to First and Best or Prolific Early Market. Vines are strong growing for this class pair to be the best of the 'White'' earlies and is superior to First and Best or Prolific Early Market. Vines are strong growing for this class pair to be a sout 30 inches in height, foliage pale green. Pods are pale colored, straight, round and blunt. Average 2¼ inches in length. Fit for use 56 days from planting. Seed small to medium sized, white and smooth.
 Dwarf Telephone. Vines 18 to 20 inches high, with rather coarse foliage, medium light green, bearing pods, broad, straight and about 4 inches long. Pale green in color and about 4 inches long. Fale green in color and about 4 inches long. Fale green, nearing large pods containing peas of ceellent quality. A heavy cropper, although for planting. Seed very large, green, wrinkled.

PEAS—Continued

Shropshire Hero. Strong, vigorous vines, 42 inches in height. Pods 3 to 3½ inches long, blunt, light green in color. Fit for table use, 68 to 73 days from planting. Seed large, green,

Pods 3 to 3½ inches long, blunt, light green in color. Fit for table use, 68 to 73 days from planting. Seed large, green, wrinkled.
Yorkshire Hero. Hardy, productive, and upright in growth, bearing near the top of the stalk, broad pointed pods with peas of a good quality. Foliage dark green, 23 to 28 inches in height. Pods, 2½ to 3 inches long, blunt, light green in color.
Gradus. A large, wrinkled, early pea, with a pod nearly as large as Telephone, filled with large peas, tender and of good quality and flavor. Very quick to germinate and mature with the early sorts. This pea will not stand adverse conditions, however, as well as some of the other sorts, and seed must be planted after all danger of early frost has passed. Seed large, cream colored, wrinkled.
Thomas Laxton. Closely resembling Gradus in habit, rapidity of growth, earliness and foliage, 26 to 30 inches high, and much hardier in every respect than Gradus.
Potlatch. Strong, vigorous vines, of even growth, 20 to 24 inches in height, with luxuriant dark foliage. Fit for table use fill as some out the other sorts. The potlatch is a variety from which anyone may expect great things. Fit for table use fill agge medium green in color. Alge medium green in color. The potlatch is a variety from which anyone may expect great things. Fit for table use.
Muke of Albany. Resembling the Telephone in appearance. Vine and foliage medium green in color. Height, 50 inches.
Alderman. A large podded pea of the Telephone in growth, 42 to 50 inches in height.
Wink Marcowiat. Vines hardy, strong, vigorous and bearing

Champion of England. Strong and Vigorous in growth, 42 to 50 inches in height.
 White Marrowfat. Vines hardy, strong, vigorous and bearing broad, thick, leathery pods.
 Black-Eyed Marrowfat. Strong and vigorous vines bearing pods near the top of the vine.

PEPPERS

The pods of the pepper are used in sauces, salads, soups or as a seasoning, and the large mild varieties called mangoes are eaten from the hand or variously stuffed and prepared with cab-bage, tomatoes or meat. The pods of peppers are green till in ripening they turn red or yellow, according to the variety.
 Start pepper in hot-beds and in other ways treat like a tomato. Set out of doors after frosts in thirty-inch rows, giving each plant eighteen inches in the row. One ounce of seed give, according to the handling, from one to two thousand plants and one pound plants an acre.
 Sweet Mountain. Plants very vigorous and productive, growing upright, with moderately large leaves. Fruit very large, long, often eight inches or more in length, by two in diameter.
 Large Bell or Bull Nose. A very large sort of inverted bell shape, suitable for filling or for mixed pickle. Flesh thick, hard and less pungent than most other sorts.
 Ruby King. An Improved American sort, reaching the largest size, yet retaining the symmetrical shape of the smaller sorts.
 Golden Upright. The fruits are large and of a beautiful rich golden yellow, tinged w

and of a beautiful rich golden yellow, tinged with blush red. The peppers are mild and as pleas-ant to the taste as Ruby King. Red Cherry. Plant tall, bearing a profusion of bright, red, round fruit which is very pungent when ripe. Chinese Giant Pepper. Without doubt one of the very best and largest Mango Peppers ever introduced. Its mammoth size, splendid shape, beau-tiful, rich, glossy-red flesh and mild flavor, all lead us to speak of it in words of commendation. Golden Dawn In shape it resembles the popular Bell or Bull Nose Pep-


PUMPKIN

The finer varieties of pumpkins are used for pies and the coarser ones for stock feeding. While the pumpkin may be grown very much as cucum-bers are grown in a garden, they are more frequently planted in the field with corn, where several seed are dropped in each fourth hill. Planted alone, six to ten seeds are covered one inch deep in hills eight to ten feet apart and thinned to two to four plants to the hill. One ounce plants twenty-five hills and two to four pounds of seed generously plants an acre. As this crop requires as much time as corn to mature, the planting cannot be too long delayed. Cheese or Kentucky Field. One of the best for table use, and very productive. Shape flat; flesh yellow, thick and tender. Connecticut Field. The hardiest of all pumpkins; cultivated mainly for stock-feeding, producing enormous crops. Mammoth Potron. The flesh and skins are of a bright golden yellow

BELL, OR BULL NOSE Mammoth Potiron. The flesh and skins are of a bright golden yellow color. Flesh fine grained and of excellent quality. This enormous variety has been grown to weigh 200 pounds. Winter Queen. This is an improvement of the old, well-liked sugar pumpkin. Its size is uniformly about nine to ten inches in diameter, color, a beautiful deep orange yellow, with a close netting, almost as russeted as a potato.

Small Sugar. This variety is very small, but of most excellent quality for pies. Ple. Fruit of medium size, nearly round; skin light yellow, smooth and covered with a fine gray netting. Flesh light yellow, very thick, sweet and finely flavored. Makes very delicious pies.


Golden Dawn. In shape it resembles the popular Bell or Bull Nose Pep-per. It is of a most beautiful golden yellow color. Red Chill. Used in the manufacture of pepper sauce. Long Red Cayenne. A long, slim, pointed pod, and when ripe of a bright red color. Extremely strong and pungent.



ĩ

RADISH ⁻

Plant radishes on a light soil if a choice is possible, and every second week for a succession from the time the soil can be worked in spring till the first light frost. Plant in ten to eighteen-inch rows, cover the seeds one-half such deep and permit four to ten radishes to grow to the foot of row, according to variety. Use one ounce of seed to one hundred feet of row and eight to twelve pounds to the acre. Radish seed, which germinate quickly, may be sown with some slow-germinating seed that the cultivation of that crop may begin the earlier, or the quicker-growing radish may be grown between rows of some slow-growing crop that later requires considerable space. The Winter Radish is sown at late turnip planting time and used in the autumn or stored for winter like the turnip. Non Plus Ultra. This is one of the finest forcing radishes. The roots are round, with a deep scarlet colored skin. the flesh white, very crisp and tender. Olive Shaped Bright Red Leafless Forcing. The extra early forcing radishes lately introduced are remarkable for the small size of their leaves. They develop their roots in so short a time that the latter are practically in advance of the leaves. Rosy Gem. One of the very earliest in cultivation. Shape a perfect globe. Deep scarlet top, blending into pure white at bottom. Scarlet Turnip, White



Scarlet Turnip, W hite Tipped. One of the hand-ishes and a great favorite in many large markets, for early planting outdoors. Early Scarlet Turnip. The standard early turnip radish. Fine flavored and mild

mild.

Deep Scarlet Turnip. This is a very bright col-ored scarlet turnip radish, very early and short leaf, well adapted to forcing un-

well adapted to forcing un-der glass. White Summer Turnip. A very large turnip-shaped variety; white, very crisp and mild: Long Brightest Scarlet, White Tipped. This, is the brightest and handsomest colored scarlet radish known

Known. French Breakfast. Olive-shaped, scarlet, with white tip; crisp and tender. Very early. A general favorite. Long White Vienna, or Lady Finger. A very ex-cellent white variety with long very smooth white roots.


Chartier. Decidedly dis-

The Cincinnati Market. The tops of this new radish are very small and may stand much closer in rows than Wood's Early Frame or Long Scarlet, without danger of running to seed. Crimson Giant Turnip, Forcing. A variety extraordi-nary in that, while growing to an unusually large size, it is always tender, crisp and of mild flavor. It remains in perfect condition a remarkably long time, and unlike other forcing varieties, does not become pithy even when twice their size in diameter. Golden Globe. This variety is of quick growth, afford-ing crisp and tender radishes even in the hottest climate and is extensively grown in the south. Wood's Early Frame. This is not only a good variety for forcing, being shorter and thicker than the old Long Scarlet Short Top, but is one of the very best sorts for first crop out of doors. White Strasburg, or Summer Hospital. Large, showy, half long, white sort. Giant Stuttgart. A summer variety. Grows to a large size. White flesh, very crisp and tender. Of good flavor and a good keeper. Early Scarlet Globe. A desirable sort for hotbed forc-

and a good keeper.

And a good keeper. Early Scarlet Globe. A desirable sort for hotbed forc-ing and outdoors; very early; flavor mild, crisp, juicy and tender; top small; will stand heat without becoming pithy. One of the best selling and most attractive radises, on account of its bright scarlet color and handsome shape. Is ready in twenty-eight days. White Iclete. This handsome white varlety is becom-mend it as a profitable, early variety where a long white sort is desired. Rose or Scarlet China. Roots cylindrical, or largest at the bottom, tapering abruptly to a small tap. Skin very smooth and of a bright rose color. Round Black Spanish. Roots round, sometimes top-shaped, three or four inches in diameter; skin black, feesh white.

Round Black Spanish. Roots round, sometimes top-shaped, three or four inches in diameter; skin black, fiesh white. Long Black Spanish. One of the latest as well as hardiest of the radishes; an excellent sort for winter use. California Mammoth. First introduced into this country by the Chinese in California. It is pure white. The flesh is tender and crisp, keeping well through the winter. White China or Celestial. A comparatively new variety which is popular wherever known. The root is long, cylindrical, with beautiful white skin. Large White Spanish. A large rooted winter variety.



RHUBARB

Rhubarb, familiarly known as Pie Plant, or Wine Plant, is cultivated in gardens for its leaf stalks, which are used for pies and tarts. Immense quantities are now annually sold in all the larger markets. No private garden should be without it.

snould be without it. Rhubarb succeeds best in deep, somewhat retentive soil. The richer its condition and the deeper it is stirred the better. Sow in drills an inch deep, and thin out the plants to six inches apart. In the fall transplant the young plants into very highly manured and deeply stirred soil, setting them⁻four to six feet apart each way, and give a dressing of coarse manure every spring. The stalks should not be plucked until the second year, and the plant never allowed to exhaust itself by running to seed. Our seed is saved from selected plants of the Linnæus, Victoria, Giant and other improved sorts, but like the seeds of fruit trees, rhubarb seed cannot be relied upon to reproduce the same varieties. Rhubarb Seed Rhubarb Seed.

Rhubarb Roots. By express, not prepaid, 20c each, \$1.50 per dozen.

PRICES ON LARGE LOTS OF RHUBARB ROOTS ON APPLICATION.

SALSIFY

(VEGETABLE OYSTER)

The long, white tapering root of salsify resembles a small parsnip, and when cooked is a good substitute for oysters, having a very similar flavor.

It succeeds best in a light, well-enriched soil, which should be stirred to a good depth. Coarse and fresh manure should be avoided, as it will surely cause the roots to grow unevenly and ill-shaped. Sow early and quite deep, giving the general culture recommended for parsnip. The roots are perfectly hardy, and many remain out all winter, but should be dug early in spring, as they deteriorate rapidly, after growth commences. Store a quantity for winter use in a pit or cellar in damp earth or sand.

Large White. The common variety, roots medium sized, smooth; flesh white. Mammoth Sandwich Island. This is in every way superior to the Large White, being larger, stronger growing and less liable to branch. Invaluable to market gardeners.

SPINACH

Spinach, a delicious green, resembling in growth a non-heading lettuce, is happily the best of tonics. As early as the soil can be worked, sow it one-half inch deep in four-teen-inch rows, using one ounce of seed to one hundred feet, and in the second week will appear a tiny plant with two very narrow leaves that do not resemble the true leaves that follow. Cutting should begin forty-five days from sowing. It is impossible to put spinach on too rich a soil, and nitrate of soda is used on it with profit.

South of the Ohio, spinach winters without protection. North it very often winter kills with good drainage and the best of straw covering.

All spinach quickly runs to seed in the heat of summer.

Victoria. An excellent sort, which forms a very large, exceed-ingly thick, dark green leaf, somewhat curled in the center. It be-comes fit for use nearly as early as any, remaining so much longer than most kinds, and cannot fail to please, whether grown for the market or in the private garden.

Savoy Leaved. The earliest variety and one of the best to plant in autumn for early spring use. Plant of upright growth, with narrow, pointed leaves, which are curled like those of the Savoy cabbage. It grows quickly to a suitable size for use, but soon runs to seed.

Round Summer Broad Leaved. This variety is generally prefer-red in the North for early spring sowing, and is the favorite with our market gardeners. The leaves are large, thick and fleshy. Though not quite as hardy as the Prickly Winter, it stands the winter very well.

Improved Thick Leaved. A variety which grows very rapidly, forming a cluster of large, very thick, slightly wrinkled leaves of fine color and quality when cooked. Especially recommended for market gardeners.

Long Standing. An improved, round seeded strain of excellent merit, having all the good qualities of other sorts and continuing in condition for use much longer. The leaves are smooth and very dark, rich green. Very popular with market gardeners.

Prickly Winter. A very hardy variety and will withstand the severest weather with only a slight protection of leaves or straw. The seed is prickly, leaves triangular, oblong or arrow shaped. It is used for fall sowing, which in this latitude is about the first of September.


New Zealand. (Tetragonia expansia.) This branching plant, a spinach in its use and not in its growth, frost kills, but grows luxuriantly in the summer heat. Plant these large seeds three in a hill, three by two feet apart or start the plants under glass and transplant.

SORREL

Large Leaved French. Sow in drills as soon as the soil can be worked in spring and three to six inches apart in the row. Cutting begins in sixty days and continues for several years. Used as cooked "greens" or as a salad. Send the address of your friends who are interested in a good garden and they will receive a copy of this catalogue.

Prices of Seeds Vary. We quote Market Values upon request and always give our customers the benefit of the lowest price that the market condition will warrant. Special prices on a general list will be given upon application. LET US HEAR FROM YOU.







SQUASH

Giant Crook-Neck. This strain is a great im-provement on the old variety of Crook-Neck. It is larger and better in every way.


Straight-Neck Summer Squash. Market gar-deners who ship early squash to distant markets know the difficulty of packing the crook necked variety in boxes to good advantage. In our straight-neck the bad feature of the crook has been overcome, and by continued selection the size has been increased more uniformly in shape and improved quality.

Golden Custard Bush. Exceeds in size any of the scalloped sorts.

Delicata. Early and very prolific; of oblong shape. Ground color orange yellow, splashed and striped with very dark green. Although of small size, the squashes are very solid and heavy, while the quality is rich and dry.

the quality is rich and dry. Early White Bush Scallop. Similar in form to the Golden Bush, but with a cream white skin, and more tender and delicate flesh. Mammoth White Bush. This has been obtained by years of careful selection. Although we have sold this squash for a number of years, we again call special attention to it. Mammoth Chill. The largest of all squashes, growing to an immense size, often weighing over

two hundred pounds, while its rich fine-flavored flesh insures its value for all purposes.



WARTY HUBBARD

WARTY HUBBARD Warty Hubbard. This is the best strain of Hubbard Squash. By its rough, hard, warty shell and its dark olive green color it can be distin-guished from any other strain, either in the field or on the market. It was introduced in 1894 and since that time under different names at dif-ferent places it has been given out to all who have called for the best stock of Hubbard Squash. We have maintained its purity by continued selection and offer headquarters seed. Golden Hubbard. This is a very distinct sort, of the shape and general character of the Hubbard, but a little smaller; of rich orange red color, instead of the dark olive green. Delicious. This is one of the best Winter varieties. Its color is almost uniform of a green shade, with occasionally a blue specimen, it being just about as pure in this respect as was the original Hubbard. In size it also closely follows the original Hubbard, which weighed between 5 and 10 pounds. In thickness of flesh it surpasses nearly every variety, the color being a dark orange. Fordhock. The vines are of strong, vigorous growth and wonderfully productive. Fruits oblong in form, eight to ten inches in length, slightly ridged; smooth, thin, yellowish skin; flesh very thick and of a light straw yellow.

vellow.

TOBACCO

Pennsylvania Seed Leaf. This is the variety mostly grown for cigars, and is of fine quality and excellent flavor. Persian Rose. A fine brand for cigars. Sells well. Yellow Pryor. A fine yellow sort, and succeeds well where others fail. Blue Pryor. This is the genuine article and a good sort. General Grant. Very early, and a good yielder. Connecticut Seed Leaf. The best sort for cigar wrappers. Try it. Havana. This is the genuine article, and is first-class. Ohlo. White leaved. A large yielder.



STRAIGHT-NECK SUMMER

MAMMOTH WHITE BUSH

Orange Marrow. A variety developed by selec-tion from the Boston Marrow and not so large but much earlier, and the earliest of the winter vari-eties. Fruit deep orange color, netted with cream; shape similar to Boston Marrow; flesh thick, deep yellow, of fine quality. Essex Hybrid. This is not only one of the rich-est flavored, finest grain and sweetest of all squashes, but it is also one of the very best keep-ers that we know of. Short cylindrical shape, hav-ing on the blossom end a small cap shaped enlarge-ment. The flesh is dry, sweet and thick, and of a bright orange color. Boston Marrow. Second early, coming in about ten days after the bush and Crook-neck sorts. Skin yellowish, very thin; the flesh dry and fine grained, and of unsurpassed flavor. Hubbard. A general favorite and more largely grown as a late sort than any other; it is of large Color bluish green, occasionally marked with brownish orange or yellow. Flesh fine grained, dry, and of excellent flavor. It can be had in use from September to May.

September to May.



CONNECTICUT SEED LEAF TOBACCO

TOMATO



SPARK'S EARLIANA

core, and is of good flavor. About as early as any purple fruited tomato, and is quite popu-lar in some localities, both for market and home use.


home use. Perfection. A splendid red variety, hardy, productive, and a good bearer. Atlantic Prize. A very early variety, fairly smooth; good for first crop. Trophy. A good main crop sort. Color, red, fruit large. Mikado, or Turner's Hybrid. One of the latest of the good market varieties. The vines are very distinct. Have a potato leaf appearance. In color, this sort is like the Acme, fine, large; smooth fruit. Ponderosa. This variety, when conditions are favorable, grows to an immense size and makes the heaviest fruit of any in the list. Our stock is from the original strain. None

Our stock is from the original strain. None better.

sort. Livingston's Favorite. A well known red variety, smooth and solid.

Optimus. One of the best table tomatoes. Vine medium sized, vigorous and strong. While not classed as a first early, it is reported by growers to ripen fully as early as many of the earliest, making an excellent forcing variety. The fruit is medium sized, oval, very smooth, and of a very bright crimson-scarlet color

dium sized, oval, very smooth, and of a very bright crimson-scarlet color. Dwarf Champion. This is a purple fruited variety, which forms very strong plants about two feet high. The branches are short, making a bushy plant that stands quite erect without stakes. This sort is often sold as Tree Tomato. Fruit smooth, medium sized, color purplish plank, fairly solid, but has no hard



TURNIP

While the main crop of turnips is planted in July north of the Ohio, more turnips should be grown in early spring. Seed may be broadcast on the few soils freed of weeds, but it is more advisable to sow in one or two-foot drills, cover less than one-half inch and thin to stand six inches apart in the row. Use one-half ounce of seed to one hundred feet of row and two pounds to the acre. The turnip requires one-half more seed when broadcast than in drills and the salad turnip requires one-half more seed than the turnip sown for a root crop.

Extra Early White Milan Turnip. The Early White Milan is one of our most popular turnips for spring sowing, a splendid extra early turnip in which the extreme earliness, small top and tap root of the Purple Top Milan is united with clear white skin and flesh.

Pomeranean White Globe. This is one of the most productive kinds, and in good, rich soil roots will frequently grow to twelve pounds in weight. It is of perfect globe shape; skin white and smooth; leaves large and dark green.

Skin winte and smooth, leaves large and dark given. Purple Top White Globe. An early variety. Globe shaped; heavy cropper. In other respects similar to the Red Top Strap Lead. A handsome looking bulb. And is rapidly taking the lead of all other varieties of early turnips for market garden purposes. Extra Early Purple Top Milan. The earliest in cultivation, two weeks earlier than Purple Top Strap Leaf. The bulb is flat, of medium size, quite smooth, with a purple top. Flesh, white, hard and of finest quality. It is an extra good keeper.

Large White Norfolk. The Standard variety for field culture for feeding stock. Very large size.

Cow Horn. This variety is pure white, except a little shade of green at the top, and is carrot-like in form, growing nearly half out of the ground, and slightly crooked. It is delicate and well flavored, of very rapid growth, and has obtained considerable favor as a market sort for fall and early winter use.

Early Snowball. A perfectly globe-shaped, white-skinned turnip. It is exceedingly pro-ductive. The flesh is fine grained, firm and of very delicate flavor. It is one of the best keeping of the white-fleshed sorts. Very early and particularly adapted for family or market use. We recommend it to market gardeners because its earliness and fine appearance make it a very profitable variety of turnip.

Early White Flat Dutch. An excellent garden variety. The best for spring sowing.

Belongs to the class of quick growing fall turnips. Its shape is nearly oval or egg, as its name White Egg. would indicate.

Seven Top. Cultivated extensively in the South for the tops, which are used for greens. It is very hardy and will grow all winter, but does not produce a good root, and is only recommended for the tops.

Purple Top Strap Leaf. Rapid grower and mild flavor. The most popular variety for early use, either for the table or stock.

Yellow Aberdeen. Very hardy and productive; a good keeper; globe shaped. Color pale yellow with purple top. Very firm in texture, and closely resembling the Rutabaga in good keeping qualities. Good either for table or stock. Large Amber Globe. One of the best varieties for a field crop for stock. Flesh yellow, fine grained and sweet; color of skin, yellow; top green. Hardy, keeps well, a good cropper. Very popular in the South.

RUTABAGA

Rutabagas, or Swedish Turnips, with their superior keeping qualities had best be drilled a month earlier than other turnips, given eighteen to thirty-inch rows and thinned to stand six to twelve inches apart in the row.



IMPROVED AMERICAN RUTABAGA

Improved American. The best yellow fleshed, purple top variety grown for stock or table.

Budlong's White Rock. Though sometimes called a turnip, this is more like a rutabaga. The root is large, both skin and flesh very white. An excellent keeper and a desirable sort for market gardeners.

White Rutabaga. This variety is now extensively cultivated, and preferred in many sections for its white flesh. It is very hardy and productive, keeps well until late in

the spring, and is highly esteemed for its sweet, delicate flavor. Laing's Improved. One of the earliest of the rutabagas. Forms a handsome bulb of good quality. Keeps well; good for table use.

Long White French. A very delicate flavored variety. An ex-cellent keeper and fine for table. Skirving's Purple Top. A very heavy cropper. One of the best for

field culture.

Carter's Imperial Hardy. An English variety resembling the preceding. Very productive and of preceding. fine quality.

Monarch or Tankard. This is a vellow fleshed sort having very large tankard shaped roots, with relatively small necks and tops. Color purplish crimson above ground, yellow below; flesh very solid, fine grained and of the best flavor. This very popular variety is also sold as Hurst's Monarch and Carter's Elephant.

Drummond's. An improved strain of purple top Swede, excelling in uniformity of shape, color and quality. Considered by many an excellent table sort.

Sweet German. A superior variety for table or stock. Flesh firm, sweet and juicy.

Bangholm. A very superior variety, both in form and quality, and held in high estimation in many parts of England. Of large size, small neck, few or no side roots, and yields well. Flesh yellow, sweet and solid; skin yellow with purple top.



PURPLE TOP GLOBE

22

CHOICE FLOWER SEEDS STANDARD VARIETIES

Most flowers are as easily grown as vegetables. In the select list that follows will be found flowers and plants for many uses. Some plants used for cuttings bring the sunshine to those that must live indoors, while others are useful for cemetery lots, a tribute to those that precede us. Some plants can be grown in a partial shade, where grass does not grow, and others are serviceable in hanging baskets or veranda boxes. Some vines or tall plants may be grown to hide or make more sightly some fence or pile of stone or stump or build-ing. Flowers are just as necessary as are pictures, and to their beauty is often added such stimulating and pleasing perfumes as cannot be bought in bottles. Flowers fall readily into three classes: Annuals bloom seed and die the first work

Annuals bloom, seed and die the first year. Biennials bloom and die in their second year, but they may bloom also in their first year. Perennials flower for several years and some of them may bloom in the first year of their existence.

ASTERS

Of the general beauty of these flowers it is unnecessary to speak; the immense world-wide demand for them shows their adaptability for any climate; and, coming into bloom, as they do, when most other flowers are fading away, enhances their value. For the best results the ground for the cultivation of Asters cannot be too richly pre-pared, although they will give satisfactory returns on any ordinary conductions. garden soil.

Dwarf Chrysanthemum-Flowered. Large double flowers resembling chrysanthemums, and valuable on account of profuse late flower-ing. All colors mixed.

Daybreak. The plants grow stiffly erect, eighteen to twenty inches in height, with ten to fifteen branches, each bearing a very large, extremely double flower, with incurved petals. The broad silvery petals are suffused with soft delicate pink.

New Giant Comet Asters, Mixed. With good cultivation, flowers of this type frequently measure four inches across, and in their fine form, large size, and long stem approach in beauty the fine Chrysan-themums grown in the greenhouse during the late fall months.

Semple's Branching. All colors mixed of this favorite longstemmed strain.

Queen of the Market. Of graceful spreading habit, it is in full flower two weeks before most other asters. Deep blue, white, pink, and rose in mixture.

Victoria. Flowers very large, double, and beautifully reflexed. The plants bear ten to twenty flowers, with the appearance of an elegant pyramid; one and a half feet. All colors mixed.

Christmas Tree. This new type is of a branching pyramidal form. Truffaut's Pæony-Flowered Perfection. Very double, large and beautiful flowers, with incurved petals.

German Quilled. The common double asters. Mixed Asters. Many varieties of different types.



COMET ASTER

Acroclinum. Summer flowering and an "everlasting.'


Ageratum (Floss Flower). For edging or pots.



MARGARET CARNATION

Alyssum, Sweet. Trailing and fragrant. Alyssum, Little Gem (Carpet of Snow). Amaranthus. Tricolor (Joseph's Coat). Antirrhinum (Snapdragons). Tall mixed. Antirrhinum, Tom Thumb. Mixed, fine strain. Asparagus Plumosus Nanus. A house plant. Asparagus Sprengeri. For suspended baskets. Bachelor's Button (Ragged Sailor or Corn Flower). Balloon Vine. A white flowered climber. Balloon Vine. A white flowered climber. Balsam (Lady Slipper). A garden flower. Calliopsis or Coreopsis. For bedding. Candytuft. For cutting or beds. Canna. A fine bedding plant. Canterbury Bell. A hardy biennial. Carnation. For pot and outdoor culture. Castor Bean. Tall, stately plants. Chrysanthemum. Summer flowering and for cut-ting. Cinerari. Daisy-like bright flowers, Cobea Scandens. Bell-flowered, rapid climber. Cosmos. For autumn flowering background. Cockscomb. For the garden or in pots. Coleus. Attractive foliage plants. Cypress Vine. Flowered rapid climber. Dahlia. A late summer and autumn flower. Daisy. Fine quality double mixed. Forget-Me-Not. For the shaded spot. For given we work of the shaded spot. Four o'Clock (Marvel of Peru). Fox Glove or Digitalis. For the half shade. Fuchsia. For half shade or pot culture. Geranium. For window boxes and pots. Globe Amaranth. Dry for winter bouquets. Giobe Amaranta. Dry for winter bouquets. Godetia. For borders and pot culture. Gourd. Apple Shaped. Bottle, Dipper, Dish Cloth, Hercules Club, Japanese Nest Egg, Mock Grange Pear Shaped, Sugar Trough. Gypsophila (Baby's Breath). For edging. Hellchrysum. The Straw Flower.

DESCRIPTIVE CATALOGUE OF SEEDS



NASTURTIUM

For ease of culture, duration of bloom, brilliancy of coloring and general excellence, nothing excels Nasturtiums. All they need is a moderately good soil in a well drained, sunny position, and from within a few weeks from the time they are sown until hard frost comes there is an endless profusion of their gorgeous blossoms.

DWARF

DWARF DWARF Chameleon. The colors vary from yellow to deep crimson. Empress of India. Brilliant dark scarlet. Golden King. Beautiful rich dark gold. Golden Queen. Golden yellow leaves and flowers. King of Tom Thumb. Deep scarlet flowers. King Theodore. Black-red; the darkest variety grown. Pearl. Creamy white. Rose. Deep bright rose, tinted salmon. Ruby King. Ruby-red, with salmon tint. Yellow. Bright yellow; no blotches. Dwarf Varieties Mixed. TALL

TALL

TALLChameleon., Flowers similar to Dwarf Chameleon.Dark Crimson. Deep velvety crimson.Hemisphaericum. Straw color, blotched with rosy pink.Lemon Yellow. Clear bright yellow.Orange. Deep orange, blotched.Pearl. Creamy white.Rose. Soft pink; a very choice sort.Scarlet. Bright orange scarlet.Tall Varieties Mixed.LOBB'S CLIMBING NASTURTIUMSBrilliant. Deep scarlet

Brilliant. Deep scarlet. Crystal Palace. Very bright, orange salmon flowers. Spltfire. Bright, fiery scarlet. Choice Mixed.

SWEET PEAS

In few lines of endeavor has the advancement been so rapid as in the development of sweet peas. This the public seems to appreciate and this flower is today a general favorite. If possible, for sweet peas spade deeply a well drained soil in the fall and add any good compost, including some wood ashes or lime. As early as the ground can be worked in spring plant the peas in a trench five inches deep and cover with one inch of sand or fine soil. When the peas are well above the ground fill the trench and thin the peas to stand two to three inches apart in the row. When planted, or very soon afterward, set some four to five-foot supports. Mulch with lawn trimmings, water thoroughly once a week, and cut frequently to keep the plant flowering. With a select list of varieties we list several excellent mixtures. Admiration. Rosy lavender. California Sunbeams. Cream color, fine. Coguette, primrose yellow, shaded lav-ender.

ender. Countess of Cadogan. Reddish mauve, wings blue. Dorothy Tennant. Rosy mauve. Dorothy Eckford. One of the best whites. Duke of Westminster. Deep rose ma-

ender

Duke of vyco.... roon. Gorgeous. Bright orange salmon. Henry Eckford. Of extraordinary orange color. Janet Scott. Fine pink.

America. Blood red striped white. Aurora. Orange rose, striped white.

Blanche Ferry. Pink and white. Black Knlght. Dark maroon.

Captivation. Rosy purple, large. Earliest of All. Pink and white. Earl Cromer. Claret magenta.

Emily Eckford. Reddish mauve. Emily Henderson. Pure white.

Evelyn Byatt. Fine orange sal-

mon. Extra Early Blanche Ferry. Pink

Janet Scott. Fine pink. Jeanie Gordon. Bright rose, shaded cream. Katherine Tracy. Fine soft pink. King Edward VII. Bright scar-let, large flower.

Extra Early Blanche Ferry. Pink Katherine Tracy. Extra Early Blanche Ferry. Pink King Edward VI and white. Lady Mary Currie. Orange pink, shaded lilac. Lady Nina Balfour. Delicate mauve. Loteiy. Soft shell pink. Maid of Honor. White edged lavender. Mrs. Collier. Primrose, delicate shades. Mrs. Joseph Chamberlain. White, flaked rose. Mrs. E. Kenyon. Primrose. Navy Blue, deep Blue. New Countess. Delicate lavender. Othello. Dark maroon. Prima Donna. Pure pink. Prince of Wales. Bright rose, self color. Gueen Alexandra. Bright scarlet red. Royal Rose. Rosy pink. Sadie Burpee. Large, pure white. Senator. Chocolate, striped white. Shasta. Pure white. Stella Morse. Rich primrose, flushed pink. Sunbeams. Delicate cream. Sybil Eckford. Creamy buff. Triumph. Standard rose, wings veined with scarlet. Triumph. Standard 1 Venus. Salmon buff.

MIXED SWEET PEAS

Choice Mixed. The best blending of the choicest named varieties. No better mixture can be had.

Eckford Mixed. A very choice mixture of the Grandiflora types. Florists' Mixed. A blend of the sorts best suited for the cut flower trade. med Sorts Mixed. Blended from the named sorts of the Unwin and Grandiflora type

Enger Varieties Mixed.

yellow .Flowering MIxed.

GRANDIFLORA TYPE

24

CHOICE FLOWER SEEDS—(Continued)

Heliotrope. For bedding, bouquet and its perfume. Hollyhocks. For a tall background. Hyacinth Bean. A flowered climber.

Ipomoea. A flowered rapid climber. Setesa (Brazilian Morning Glory). Grandiflora (Moon Flower). Bona Nox (Evening Glory).

Jobs Tears. Grass with slate colored seeds. Kochia (Summer Cypress or Burning Bush). Larkspur. For bedding or cutting. Lathrus Latifolius (Everlasting Pea). Lobella. For pot culture or bedding. Linum (Flowering Flax). For bedding. Love-in-a-Mist (Lady-in-the-Green).

Marigold. Bedding or borders. African Double. Orange color. Eldorado. Several shades of yellow. French Dwarf. Brown-red.

Mignonette. For cutting and its perfume. Sweet. The old variety. Golden Queen. Fragrant and yellow. Machet. Red flowered.

Morning Glory. The well known climber.

White. Blue.

Crimson.



DOUBLE POPPIES Portulacca (The Moss Rose). White Pink. Crimson. Mixed. Many colored. Double Mixed. Many colored. Pinks. Old Fashioned Favorites. Double China. Double Diadem. Single Mixed. Eastern Belle. Salpigiossis. For border or bedding. Salvia. (Flowering Sage). Sensitive Plant. when touched. Leaves droop Sun Flower. For screen or background. Sweet William. For bedding and borders. Verbena. For window boxes or bedding. Wild Flower. Garden mixture. Wall Flower. For bedding and bouquets. Zinnia. For bedding and bouquets.



Mimulus Moschatus (Musk Plant). For hanging baskets. Tigrinus (Monkey Flower). A pot plant.


Morning Bride. Borders, beds and cuttings. Nicotiana Sanderae. Flowered Tobacco. Affinis, White and fragrant.

Amns. Emperor William, Deep blue, King of Blacks. Darkest flower grown. Giant Five-Spotted. Trimarpeau. Mixed finest strains. Extra choice mixed. White. Yellow.

- Blue.
- Petunia. Fine mixed, for bedding.
- Phlox. Mixed, for bouquet or bedding. Alba. Pure white.
- Poppy Carnation. Mixed colors, double fringed. Iceland. A perennial double. Mikado. The striped Japanese. Shirley, of many colors.




A BORDER OF SALVIA



LAWN GRASS

GRASS Your outdoor carpet should be of an even colored grass that grows so close that weeds cannot get through. Think of your lawn as a number of plants, not "just grass." These lawn plants ask what other plants require: good where soil is sour, deep preparation by spading or plow-ing, the addition of fertilizers before planting and from time to time afterwards as the plants continue to feed, and good seed. Where manure is used at any time it should be thoroughly decomposed and free from weeds seed and a complete fertilizer at the rate of 500 pounds to the acre is advantageous. Beating had best be done in the spring or fall. Be areful to have the entire surface as near alike as possi-ble that the grass may be even in its growth and finish by using a fine rake and a heavy roller. Seed heavily. Use seventy-five pounds of the best lawn mixture to the acre, or one pound to three hundred square feet. Sow the seed carefully on a câlm, dry day and rake lightly. The taken frequently, setting the machine to cut as high as possible, and as weeds grow where grass seed is now sown, weeds will grow in your lawn and some of them it may be necessary to dig out with a knife. In very dry weather a thorough wetting should be given about once a week, a little water on a dry surface doing more harm than good. Beat spring after the winter heaving of the lawn by frost is over, the iawn should be re-rolled while the soll is wet. Park Lawn Grass Mixture. For quickly producing a

by frost is over, the jawn should be re-rolled while the soil is wet. Park Lawn Grass Mixture. For quickly producing a of grasses we sell for lawn making, and will give satisfaction wherever sown. Mixture for Shaded Spots. Usually it is quite difficult to obtain a satisfactory growth of grass under trees and in snady places; for sowing in such places we recommend the use of this special mixture. It will quickly produce an abundant and even growth of beautiful green grass.



RED TOP GRASS



ENGLISH RYE GRASS

GRASS SEED

Blue Grass. (Poa Compressa.) Commonly called Canada Blue Grass. valuable grass for pasture and lawns. Market Price. A very

English Rye Grass. (Lollum Perenne.) A very nutritious rapid growing variety, valuable for meadows and pastures. Twenty-four pound bushel. Market Price. -Tall Meadow Oat Grass. (Avena Elator.) This produces an abundant supply of foliage and is valuable for pasturage on account of its early and luxuriant growth.

Market Price. Sweet Vernal Grass. (Anthoxanthum Odoratum.) Permanent pastures should not be sown without a portion of this grass. Market Price.

Hard Fescue. (Festuca Durluscula.) Similar to Sheep's Fescue, but not so dense, and growing somewhat taller. Market Price.

Red Top. (Agrostis Vulgaris.) A valuable grass for moist soils and low lands. It is a good, permanent grass, standing our climate well.

Solid Seed, Best Grade. Market Price.

Chaff Seed. Market Price.

Timothy. (Phleum Pratense.) This is decidedly the best grass for hay. Market Price.

Italian Rye Grass. (Lollum Italicum.) A valuable European variety, adapted to any climate, and produces large and nutritive crops. Eighteen-pound bushel. Mar-ket Price.

Orchard Grass or Rough Cocksfoot. (Dactylls Glomorata.) This is one of the most valuable and widely known of all pasture grasses. It is well adapted for sowing under trees or orchards. Market Price.

Meadow Fescue or English Blue Grass. (Festuca Pratensis.) Needs rich ground, and succeeds well on prairie soil. Sow about twenty-five pounds per acre. Market Price.

Wood Meadow Grass. (Poa Nemoralls.) One of the best varieties to sow in shaded situations, such as orchards and parks, for either hay or pasturage. Sow about thirty pounds to the acre. Market Price.

Creeping Bent Grass. (Agrostis Stolonifera.) Particularly valuable for lawns that are to be used as croquet and tennis grounds. Market Price.

Meadow Foxtail. (Alopecurus Pratensis.) Valuable for permanent pastures, and does best on good moderately moist soil. Market Price.

and does best on good moderately moist soil, Market Price.
 Tall Fescue. (Festuca Elatior.) A valuable perennial grass, very productive and nutritious. If used alone, sow forty pounds per acre. Market Price.
 Blue Grass. (Poa Pratensis.) Commonly called Kentucky Blue Grass and known in some sections as "Green Meadow Grass" and "June Grass." It is the best pasture for our climate and soil, succeeding finely on hill lands and producing the most nourishing food. Sow early in the spring or during the months of October and November. Fancy clean seed. Market Price.

CLOVER SEED

Medium Red or June. (Trifolium Pratense.) Sow in spring or fall, at the rate of eight or ten pounds per acre. Market Price.

Mammoth or Large Red. (Trifolium Pratense.) Sow at the rate of about eight pounds per acre. Sixty pounds per bushel. Market Price.


White Dutch. (Trifolium Ripens.) A small. creeping, spreading, perennial variety, valuable for pasture and lawns. Market Price.

Alsike or Swedish. (Trifolium Hybridum.) This valuable variety is fast gaining great popularity.

Alfalfa or Lucerne. (Medicago Sativa.) Will bear cutting three or four times ing the season. For bringing up poor land it is the best of the clovers. during the se Market Price.

Pi

Crimson or Scarlet Clover. Can be seeded at any time from June to October, at the rate of fifteen to twenty pounds per acre. Market Price.



FIELD CORN

Prices Change. Ask for Market Price

Pride of the North. This famous corn still retains its popularity; an exceedingly early and prollfic variety, always maturing in ninety days; often shelling sixty-two pounds of grain from seventy pounds of ears. Kernels closely set, large, of deep orange color; cob very small and red; stalks about seven feet in height. This is, probably, the best Dent corn for general cultivation in the north.

Champion White Pearl. Originated in Illinois, and is enormously productive; a strong grower; matures in about 100 days. The stalk is stout and thick, with large ears set low.

lowa Gold Mine. A splendid yellow corn. Everyone who has tried it is enthusiastic in the praise of this splendid variety which was introduced in 1892. It has everywhere received the most cordial endorsement as one of the best and most profitable varieties ever grown.

lowa Silver Mine. The Iowa Silver Mine is a splendid white corn. In 1894, the poor corn year, it yielded at the rate of ninety-seven and one-third bushels to the acre. It has no barren stalks. The ears are very even in size, being but little smaller at the tip than at the butt, and corn is well filled out over the tip.

Longfellow Flint. This is an eight-rowed Yellow Flint variety, the result of careful selection. The ears are from ten to fifteen inches long, one and one-half to one and three-fourths inches in diameter, are well filled out to the extreme end of cob.

Canada Eight-Rowed Flint. This standard Flint corn is the earliest of all. It is a safe corn to plant where the season is short. It will mature in eighty-five days of good corn weather.

Improved Learning. The Improved Learning Corn is a medium early yellow variety; large, slightly tapering ears, deep grain, and medium sized red cob. In favorable years there is much uniformity of both kernels and ears. Its numerous broad leaves not only encourage a healthy development but make it a valuable variety for feeding.

MISCELLANEOUS GRAINS

FIELD PEAS.

White Canada. Blue or Green.

COW PEAS.

Black Eye. Whip-Poor-Will. Black. Seed all black. Clay Colored.

MILLET SEED.

Japanese Barnyard. Siberian. Pearl. Hog. Common. German or Golden. Hungarian.

MISCELLANEOUS.

Spurry. Lahyrus Sylvestris. Barley, Common. Rye, Spring. Rye, Winter. Buckwheat, Silver Hull. Buckwheat, Common. Buckwheat, Japanese. Flax Seed, for Sowing.

KAFFIR CORN

Kaffir Corn. One of the best forage plants. If the crop is wanted mainly for fodder, it is recommended to cut down the

whole stalk when the first seed heads come into bloom. **Dwarf Essex Rape.** A forage plant of great merit, easily grown in any part of the United States, on any land that will raise turnips or corn, and will furnish abundant supplies of succulent, rich, nutritious pasture, at a season when it is most needed.

Russian Sunflower. This is highly prized by poultry raisers and farmers as a cheap food for fowls. It is immensely productive and can be raised cheaper than corn, as any waste piece of ground will suffice. It is the best egg-producing food known.

PRICES VARY ON ALL FARM SEEDS WRITE FOR MARKET PRICE BROOM CORN. Improved Evergreen. Early Japanese.

SUGAR CANE.

Early Amber. Early Orange.



KAFFIR CORN

NOTES ON GARDENING

While it is in a way true that anyone can garden, intelligence tells more quickly in agriculture, possibly, than in any other line of endeavor. Yet so many and varied are the ways of reaching a result in agriculture that no two experienced and successful growers would agree entirely upon the treatment of a crop or a piece of land. It does not follow that either grower is right or wrong, we would rather say that in the agricultural seas there are many good pilots with well charted courses and bid them "bon voyage."

In the work of gardening a sharpened stick or at most a hoe and a spade is all that is absolutely necessary, but the result will be vastly improved by the use of modern tools, hotbed frames and sash, some insecticides and a fungicide, drain tile, a compost heap and fertilizer.

Hotbeds. While early in the year plants may be started in a sunny window, it is of profit and advisable to use hotbeds and cold frames for even a small garden. From the first to the latter part of March is quite early enough to make a hotbed. The time must vary according to the latitude. Provide a quantity of fresh horse-manure from the stables, and add to this, if they can be had, one-third to one-half of its bulk of leaves. The second fermination of the stables, and add to this, if they can be had, one-third to one-half of its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermenta-tion will proceed, even in severely cold weather. In two or three days fermentation will be apparent by the es-cape of steam from the heap. Now turn again, and allow the heap to remain two or three days longer, or until the second fermentation commences. Make an excavation or pit $2\frac{1}{2}$ feet deep, and of a size suited to the num-ber of plants required. The pit will be better if built up of brick. It should be made in some dry, sheltered spot, facing the south or east, if possible. Hotbed sashes are usually 3x6 feet, and one or two sashes will give early plants enough for a small family. The frame for sashes should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Cross-pieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames. When everything is ready, the manure is placed in the pit and trodden down firmly in layers to the required depth, 2 to $2\frac{1}{2}$ feet. Then put on the sashes, and keep the pit closed until the heat arises. At first it will probably be 100 degrees or more, which is too hot to sow the seed in; but in two or three days it will subside to 90 degrees or a little less, when the soil may be put on to the depth of 6 to 8 inches. The heat may be readily ascertained by plunging a thermometer into the manure. The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine old manure; and in this the seeds may be sown thinly in drills 2 to 3 inches apart, and afterward (as soon as out of the seed-leaf), either thinned out or else transplanted to another frame. Air must be given every mild day by raising the sashes at the back. Water with tepid water whenever neccesary, and during cold nights and shows the seconearly, either thinned out of else transplanted to another frame. All must be given every mind day by raising the sashes at the back. Water with tepid water whenever necessary, and during_cold nights and snow-storms keep covered with mats or board shutters. Tomatoes, Peppers and Eggplants should be sown in a separate frame from Cabbage, Cauliflower and Lettuce, as they require more heat. The same directions may apply to hotbeds made on the surface of the ground, except that the manure should be at least a foot wider on all sides than the frame.

on all sides than the frame. Cold Frames are simply frames with tops of glass or cloth set on the ground, no bottom heat being applied. It is banked up on the outside during the winter with marsh hay, straw or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 or 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the fall, and young Cabbage. Cauliflower and Lettuce plants are set out in it in time to get well established before very cold weather. Cauli-flower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in this vicinity, from the 15th to the 20th of September. The young plants will be ready to trans-plant in about 25 to 30 days. During cold nights and stormy days the beds should be closely covered with the plants in a dormant state, without actual freezing, so that when spring comes, they are in a forward state for setting out. Seeds of Cabbage, Cauliflower, Lettuce and Radish may be sown in a cold frame in the spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights. Even before the hotbeds are made or the first seed purchased the garden should be planned on paper.

Even before the hotbeds are made or the first seed purchased the garden should be planned on paper. If the garden has not been drained, preferably by tile, and there are very few pieces of ground that do not need drainage, an effort should be made to get rid of the surplus water so that the soil may warm up rapidly and bacterial life so necessary to plant life begin. Frequently the application of lime or lime stone is more necessary than the application of commercial fer-

Frequently the application of lime or lime stone is more necessary than the application of commercial ter-tilizer and this question, too, must be answered early. Stones and stumps, along with trees of no value, should be removed from the garden, and every effort pos-sible made to get ready for the rush that comes with spring planting. There are easy ways as against the difficult ways of gardening, and from time to time the work should be carefully thought over with the idea of saving every effort possible. First of all, the vegetables should be planted in long rows so with a wheeled tool like the Perfection Garden Cultivator one can quickly cultivate the garden without stooping. It is also possible now to set plants while walking in an upright position and avoid the back-aches and suffering of other years by using a Masters Rapid Plant Setter. Tools like these should be secured before the day they are needed needed.

MASTERS RAPID PLANT SETTER



Is built to do actual plant setting. It is no plaything but is strong and durable, and with fair play will set out more than a million plants before it is worn out.

THE OPERATION of our Plant Setter is very simple. You mark off your land both ways, then haul out a few barrels of water (about two barrels to the acre is usually enough), place these barrels on the headlands and have a few thousand plants all ready pulled, and place a good box full on the headland at the water barrels.

THE MAN who is going to do the setting simply needs a common grape or peach basket with the handle cut off entirely, then pass a leather strap or stout cord through one side of the basket and fasten same around your waist; take the suce of the basket and fasten same around your waist; take the Planter in your right hand and have it nearly full of water and start down the row, putting in a plant at every mark clear across the field; fill up your basket with plants at the end of every row, also your Planter with water, and thus keep going back and forth across the field all day, and in ten hours any ordinary farm hand can set 10,000 to 12,000 plants and when a man gets well used to the Planter and has his land in the best condition possible be can the Planter and has his land in the best condition possible he can set 15,000 plants per day without special effort.



Makes transplanting EASY, PLEASANT WORK and will produce a perfect stand of \$4.00 plants and a better quality crop. PRICE.....



PERFECTION GARDEN CULTIVATOR

Different From Others—Superior to All. The lightest garden tool on the market. Easiest to adjust. Strongest in workmanship. Easiest to operate.

Is a complete machine within itself.

Needs no extra parts.

The only garden tool made that throws the soil to or from the plants without extra attachments.

The scientific advocate of deep plowing does not mean deep plowing at once for all soils, but generally a gradual deepening of the soil by going a little deeper each year. Also by subsoiling and by dynamiting the subsoil, the roots of plants work to a lower level where they find little cisterns of water and new stratas of plant food. Deep plowed soil is slow to wash, so the land stays at home, retaining most of its fertility till some plant uses it. The successful Dutch farmer observed that the man who has one farm may soon have two—one above the other.

While the grower is building his land to two or three stories instead of one, he must not think of soil as inert and dead, something only to be analyzed by a chemist. Think of soil as a home where countless numbers of organisms will live if we give them an opportunity. There

these organisms will multiply with inconceivable rapidity. Organisms we cannot see without the use of a microscope we have used in many ways, as in the making of yeast breads and in the making of vinegar. Think of these modifications as being made partly by the work and partly by the presence of these microscopic live and dead bodies. So earth that is wisely plowed, well cultivated, also if necessary, drained and limed, modifies its appearance, feeling and texture, and becomes a new and a live soil.

With the little that man really knows about soil, there is much that he believes and still questions, and still more about which he asks questions and there returns no reply. Was the weed nature's attempt to shade the soil and prevent the surface baking or was the weed nature's effort to make man cultivate and earn? Never mind! When the soil seals and hardens on its surface, plant life is at once retarded or entirely discontinued. The most persistent plant is killed quickly under boards or sheets of tarred paper. It is necessary to give the soil air, and to do this, man cultivates the soil, often laboring with crude and awkward tools. In the soil home the man is trying to open the windows. By this cultivating or stirring of the soil man is also using a dust mulch to retain the necessary soil moisture.

While the plow had long been brought to a state bordering on perfection, the tool necessary to the thorough cultivation of the garden was conspicuous by its absence till the introduction of the Perfection Garden Cultivator. This Perfection Garden Cultivator, a new disk and knife weeder, is the final evolution in hand cultivators. It does the weed killing, cultivating and mulching at one process, something no other cultivator accomplishes. It can be worked in gravel soil or in stony land, through sticks and coarse stubble, or in the softest loam. As a deeper mulch is required in dry weather than in moist weather, as a crop as it advances in age requires more shallow cultivation, as different crops and soils require different treatment, this tool is adapted to them all. Preferred by the successful professional gardener or the most exacting amateur home gardener, the tool is also so simple a child can work it. While built for the gardener who wants a tool stout enough for his most robust workman, it is so easy of operation as to meet with favor in the hands of the woman flower grower or the little housewife.

The inventor of this tool is a practical onion grower and trucker. During his thirty years in truck farming and onion growing he has tried out all of the garden cultivators that have been made and recommended during that time. He knows the good points as well as the defects of each. From this knowledge he has perfected, after repeated efforts, this new tool, which, in a simple form, does all the work that can be done by the complicated attachments and combinations of the other tools.

One thumb screw is all that is operated in adjusting this tool. No attachments are necessary to make it do the work needed.

the work needed. The two photographs show the tool complete. It is durable, made of the best material, and within the reach of all in price.

Perfection Garden Cultivator

Is made in three sizes, viz:

No. 1. With two discs, on which 6 inch of 7 inch knives may be used.

No. 2. With four discs, on which 7½ inch, 8¼ inch or 8¾ inch knives may be used.


No. 3. With four discs, on which 10 inch or 11 inch knives may be used.

The No. 1 will work rows 9 to 11 inches wide, No. 2 will work rows 11 to 14 inches wide, No. 3 will work rows 13 to 16 inches wide.

Mention what size knives you wish when ordering. The price is the same for any of the sizes.

Price \$5.00 Each

The stiff wire leaf guards keeps the tops of the plants away from the discs.



Notice the Thumb Screw that Adjusts the Discs

DESCRIPTIVE CATALOGUE OF SEEDS



FERTILIZERS

There is an axiom that "what grows one year will decay the next." So among the economies practiced by the European and which must not be confused with that which is miserliness or stinginess is the use of a compost heap. This practice could well be copied here. Not only the individual American but our great cities throw away vast quantities of that which might be composted. The gardener had best select a spot removed from the residence and there save continually all weeds, grasses, leaves, poultry and stable manure, soot, hoof and horn parings, bones, unused vegetables and fruit and refuse from the table. Earth and phosphate can be added to this compost heap, and while the heap should be kept moist enough to decay, it should be protected by a roof from rain. Later this compost should be spread upon the soil and plowed or spaded in.

As man advances he asks more varied kinds of foods. Or should we say as man secures more varied kinds of food he advances? So for plants as for animals, they are best fed when given many kinds of food. This is one of the reasons why the compost heap is so valuable. It is very probable that our commercial fertilizer of the future will contain several elements we are making no effort to feed plants now. As we expect different foods from day to day for ourselves, now we are changing and rotating fertilizers. The plant's dinner must not be the same on each bill of fare. Just as too much of one food might make our horse or ourselves ill, so we must not surfeit or sicken our plants by one food, good 'as that food may be.

Experience has taught, with few exceptions, that the same crop is not to be grown year after year on the same soil. The crops are to be rotated. In the gardens and flower beds as in the field this should be true. If cabbage were on the east side last year, then put something besides cabbage or something in no way related to cabbage there this year. To think about gardening is to come to the conclusion that it is wise to rotate crops and equally wise to rotate or change fertilizer.

As nature makes an attempt to keep all soils busy and all bare spots covered up, so, whenever possible, man should plant cover crops and plow or spade them under. Rye and vetch planted in the fall and in the spring spaded in is an excellent method of green manuring.

Fertilizer is a big word. Shade from trees or buildings is another lack of fertility. The poisonous fumes from factories kill plants, so plants do breathe. After all, much or most of our fertilizer is just sunlight or air. While most of the world's fertility does not reach us as freight, some very good fertilizers that it is wise to use does come done up in bags.

This wise to use does come done up in bags. Think of the organisms or bacteria that live in the soil as laborers living and working in their home and that they need material with which to work. These tiny workmen, we say, make the plant food available. So not only are workmen necessary, but we must supply them with the raw material with which to work. Some of the things we may add to the garden may contain with new workmen, call them micro-organisms if you wish, one or several raw materials as well. Other materials we supply to our gardens may contain only these elements or materials which we class as phosphates, potash and nitrogen. We say a fertilizer is complete when it contains these last three named elements. The word fertilizer suggests one or more of these three elements put up in bags and known as commercial fertilizer. If the manufacturers of commercial fertilizer have had a weakness it has been in their lack of effort to teach that their product is not an antidote for the poison of poor farming or gardening. No one who can see and think can doubt its profitable and necessary use. Such a use must go hand in hand with other good practices, like soil draining, subsoiling, liming, deep plowing, stable and green manuring, the rotation of crops, possibly the rotation of fertilizers, through cultivation and the use of good seed. The Analysis and Price of Fertilizers Upon Request. The analysis tells the truth but not the whole

The Analysis and Price of Fertilizers Upon Request. The analysis tells the truth but not the whole truth. Just as there is a choice between good pieces of cloth so where good 'guano'' is concerned there is a preference. In buying fertilizer do not think of the tons of weight that are carried to the farm or garden, but rather be concerned more about the pounds of plant food and the conditions of that plant food.

Pulverized Sheep Manure. Humanity builds the results of its learning into little sayings, of them one is, "The sheep's foot is gold." Generations of farmers learned that where the sheep were kept or pastured later grew rich crops. So we are offering sheep manure that has been pulverized, screened and dried till it contains no weed seed and is in the most perfect condition for handling. Where the ant was found to follow the application of hone meal to lawns, the application of this Pulverized Sheep Manure was followed only by good results. Its effect is not only immediate but lasting. For a potting soil one part of this manure to six parts of the soil was found to be preferred. For the making of a liquid manure one pound to six gallons of water was superior. It has no objectionable odor, nor does it offend by its appearance. When heavily and freshly applied to lawns it is barely discernible. A heavy application is not to be feared but to be advised for house plants, lawns, flower gardens, fruit or vegetables. Prices upon request.

30

A PAGE ON FUNGICIDES AND INSECTICIDES

The attempt to summarize the militant ways of man in his battle with disease, fungi, and insects that attack our plant world would be, because of its brevity, somewhat imperfect. This quickly developed science that is rapidly progressing fills volumes of space. In the effort to be brief, which means we cannot be concise, we might say of the plants' enemies that they are: first, fungous diseases; second, insects that eat or chew the plant; third, insects that suck the plants' juices; fourth, insects that bore into the plant.

FIRST. The Fungous Diseases of plants may be thought of as blight, mildew, spot, speck, dry rot, black rot, rust, scab or mold, etc. The remedies applied are called Fungicides. They may be preventative or cures, or both. Some of them are

as follows:

Bordeaux	Mixture.
----------	----------

Copper Sulphate	6 pounds
Quicklime	4 pounds
Water4	0 gallons

Dissolve the copper sulphate by putting it in a bag of coarse cloth and hanging this in a vessel holding at least 4 gallons, so that it is just covered by the water. Use an earthen or wooden vessel. Slake the lime in an equal amount of water. Then mix the two and add enough water to make 40 gallons. It is then ready for immediate use.

Ammoniaca Copper Carbonate.

The copper carbonate is best dissolved in large bottles, where it will keep indefinitely, and it should be diluted with water as required.

Copper Sulphate Solution.

Copper Sulphate..... 1 pound Water15 gallons

Dissolve the copper sulphate in the water, when it is ready for use. This should never be applied to foliage, but must be used before the buds break. For peaches and nectarines use 25 gallons of water.

Practically all insecticides and fungicides are now put of mixing the ingredients. Frequently this prepared ar-ticle is superior to that which could be mixed at home and often cheaper. In this buying one has a choice as between the fluid, paste or dry forms at times.

but as it is more caustic it should be applied with lime, or with the Bordeaux mixture.

Hellebore.

Arsenate of Lead.

Fresh White Hellebore..... Water Apply when thoroughly mixed.

SECOND. Insects that chew or eat the plant may be bugs, caterpillars, worms or slugs. The poisons we feed to this class of our enemies we call Stomach Poisons and some of them are:

Paris Green.

 1 ans oneen
 1 pound

 Water
 250 gallons

 If this mixture is to be a second seco

If this mixture is to be used upon peach trees, 1 pound quicklime should be added. Repeated applica-tions will injure most foliage unless lime is added. Paris Green and Bordeaux can be applied together with perfect safety. The action of neither is weakened, and the Paris Green loses all caustic properties. If applied as a powder it should be mixed with flour or plaster, 100 parts to 1 part Paris Green. This is used in the same proportion as Paris Green,
 This is used in the same proportion as Paris Green,

THIRD. Insects that suck the juices of plants may be plant lice, mealy bug, green and black fly, red spider, scale, etc. The poisons we apply to this class of our enemies kill by striking through the insects skin and are referred to as Contact Poisons, some of them are:

Kerosene Emulsion.

Dissolve the soap in the water, add the kerosene, and churn well with soap for 5-10 minutes. Dilute 10 to 15 times before applying.

Tobacco Dust or Tea. The aphis or plant louse is not apt to go where there is tobacco dust and a tea made from tobacco, just to-bacco boiled in water till the water is dark, is an ex-cellent remedy for this class of pest.

FOURTH. Insects that bore into the tree or plant are retarded or injured by having Tanglefoot put in their way or Fish-Oil Soap or Whale-Oil Soap smeared or washed upon the plant's trunk.

Frequently some combinations of the above Fungicides and Insecticides may be made with advantage, as Bordeaux with Arsenate of Lead, or Kerosene Emulsion with Paris Green. Again, in advertised articles upon the market are found some very superior combinations, two of which we list below.



Slug Shot. This well known preparation has been in use for more than a quarter of a century and its popularity does not diminish. It can be used on all sorts of vegetables, in the flower garden, on fruit bushes, trees or whereever the insect pests appear. It is an impalpable powder, non-poisonous to human beings or stock.

Bug Death. This preparation we highly recom-mend. We have many testimonials at hand from large vegetable growers and we feel confident in offering it with our endorsement to any of our customers who want a quick-acting, non-poisonous bug killer. It can want a quick-acting, non-poisonous bug killer. It can be used on all house plants, vegetable and fruit crops, with excellent results.



The application of remedies for fungus or poison for insects may be by dusting, using a powder gun, duster or bellows, and the liquids applied with a syringe, spray pump or vaporizing bellows. To apply these remedies or poisons when fruit is in bloom may kill the bees and affect pollination. Keep all poisonous properties under lock and key if possible, where poultry, stock and human beings are not apt to reach it by accident.

1 ounce

DESCRIPTIVE CATALOGUE OF SEEDS

USEFUL INFORMATION

LEGAL WEIGHTS and MEASURES-Pounds Per Bushel.

ARTICLES	IIIs.	Ia.	Wis.	Mich.	Ind.	Mo.	N.Y.	Ohio
Apples, dried	24	24	28	22	25	24	22	22
Apples, green	50		57		••	•••		
Bran	20	20	20	20	••	.20	20	20
Barley	48	48	48	48	48	48	48	48
Beans, white	60	60	60	60	60	60	62	60
Beans, Castor	46	46	46	46	46	46	46	46
Buckwheat	52	52 46	$\frac{50}{46}$	48 46	50	$\frac{52}{46}$	48	50
Broom Corn Seed Beets	$\frac{46}{60}$		50		46			56
Beets	55		50	•••	••	50	•••	50
Charcoal	22	$\dot{22}$	22	$\dot{22}$	22	$\frac{30}{22}$	$\dot{2}\dot{2}$	00
Coal, stone	80	80				80		80
Coke	40	38						40
Corn, shelled	56	56	56	56	56	56	56	56
Corn, ear	70	70	70	70	68	70	70	68
Corn Meal	48	48	48	50	50	50	50	50
Cranberries	33			40	33			1
Dried Peaches	23	23	28	28	33	33	32	33
Flax Seed	56 [56 [56	56	56	56	56	56
Grass Seed, Blue	14	14	14	14	14	14	15	10
Grass Seed, Clover	60	60	60	60	60	60	60	60
Grass Seed, Hungar'n	48	48	48	50	22	48	48	50
Grass Seed, Millet	50	48	50	50	50	50	::	50
Grass Seed, Orchard. Grass Seed, Red Top.	14 14	14 14	ii	$\begin{array}{c} 14 \\ 14 \end{array}$	14 14	14 14	14 14	14
Grass Seed, Timothy.	45	45	45	45	45	45	44	45
German Lupine	60	1					1	-
Hemp Seed	44	44	44	44	44	44	44	44
Hickory Nuts	50			11	11	11		11
Malt, Barley	38	36	34	38	38	38	34	34
Mineral Coal	40		·		70			
Middlings, fine	40				40			
Middlings, coarse	30				30			
Oats	32	32	32	32	32	32	32	32
Onions	57	57	57	54	48	57	57	50
Onions, tops	28	28	28	28	28	28	28	25
Onions, sets	32	•••	••	••	••	•••	•••	
Osage Orange	33		••	••	÷÷	::	•••	
Parsnips Potatoes	55	ii I	60	::	55	54 60	::	60
Potatoes, Sweet	60 50	60 46	55	$\frac{60}{56}$	$\frac{60}{55}$	56	60 55	50
Peas, dried	60	60	60	60	60	60	60	60
Peas, in pods	32				00			
Pop Corn	70	•••	••	••	70	•••		
Quick Lime	80	80	80	80	80	80	80	
Rye	56	56	56	56	56	56	56	56
Salt, coarse	50	50	50	50	50	50	50	50
Salt, fine	55	50	56	56	50	50	56	50
Turnips, Rutabaga	55	55	56	58	55	50	55	60
Turnips, white		•••	42			42]
Wheat	60	60	60	60	60	_60	_60	60

Dry Measure. 2 pints, 1 quart; 8 quarts, 1 peck; 4 pecks, 1 bushel; 36 bushels, 1 chaldron. Liquid Measure. 4 gills, 1 pint; 2 pints, 1 quart; 4 quarts, 1 gallon; 31½ gallons, 1 barrel; 2 barrels, 1 hogshead.

hogshead. Measurements of an Acre. The following will be found useful in arriving at accuracy in estimating the amount of land in different pieces of ground under cultivation: 5 yards wide by 968 yards long, contains one acre, as do also the following measurements: 10 yards wide by 484 yards long; 20 yards wide by 242 yards long; 40 yards wide by 121 yards long; 70 yards wide by 69½ yards long; 60 feet wide by 726 feet long; 110 feet wide by 396 feet long; 120 feet wide by 363 feet long; 220 feet wide by 198 feet long; 240 feet wide by 181½ feet long, and 440 feet wide by 99 feet long.

Number of Plants or	Trees to	the Ac	re at	Given Dist	ances,
Dis. Apart. No.	Plants. 1	Dis. A	part.	No. F	lants.
12x 1 in		36x36			4,480
12x 3 in	.174,240	42×12		•••••••••	12,446
12x12 in	. 43,560	42×24			6,223
16x 1 in	.392,040	42×36			4,148
18x 1 in	.348,480	48×12		• • • • • • • • • • •	10,890
18x 3 in		48×18 48×24			7,790
18x12 in 18x18 in	10 260	48x30		• • • • • • • • • • •	$5,445 \\ 4,356$
18x18 in 20x 1 in	212 625	48x36			4,356
20x20 in		48x48			2,723
24x 1 in		60x36			2,901
24x18 in	. 15.520	60x48			2,178
24x24 in		60×60			1,743
30x 1 in		8x 1	ft		5,445
30x 6 in		8x 3			1,815
30x12 in		8x 8			680
30x16 in		10x 1		• • • • • • • • • • •	4,356
30x20 in		$10x_{10}$		•••••	726
30x24 in		10×10			435
30x30 in 36x 3 in		$12x 1 \\ 12x 5$		• • • • • • • • • • •	3,630
36x 3 in 36x12 in		12x - 5 12x 12		•••••	736
36x18 in		16x 1			2,722
36x24 in		16x16		•••••	170

REFERENCE TABLES

Quantity of Seed Requisite to Produce a Given Number

of Plants and Sow an Acre.
Artichoke, 1 oz. to 500 plants 6 oz.
Asparagus, 1 oz. to 800 plants 1 lb. Asparagus Roots
Asparagus Roots
Beans, Dwarf, 1 pint to 100 ft. of drill 1 bu.
Beans, pole, 1 pint to 100 hills
Beet, garden, 1 oz. to 100 ft. of drill
Broccoli, 1 oz. to 5,000 plants
Brussels Sprouts, 1 oz. to 5,000 plants 2 oz.
Cabbage, 1 oz. to 3,000 plants
Cauliflower, 1 oz. to 3,000 plants $2\frac{1}{2}$ oz.
Celery, 1 oz. to 15,000 plants 2 oz.
Chicory 4 lbs. Clover, Alsike and White Dutch 6 lbs.
Clover, Alsike and White Dutch 6 Ibs.
Clover, Crimson Trefoil10 to 15 lbs.
Clover, Large Red and Medium 8 to 12 lbs.
Collards, 1 oz. to 5,000 plants 2 oz.
Corn, sweet, ¼ pint to 100 hills
Cress, ¾ oz. to 100 feet of drill12 lbs.
Cucumber, 1 oz. to 100 hills1 to 3 lbs.
Egg Plant, I oz. to $2,000$ plants
Flax. broadcast $\frac{1}{2}$ bu.
Garlic, bulbs, 1 lb. to 10 ft. of drill
Grass, Blue, Kentucky 2 bu.
Grass, Blue, English I bu.
Grass. Mixed Lawn
Grass, Red Top, Fancy, Clean8 to 10 lbs.
Chicry 1.02. to 10,000 plants
Grass Orchard Perennial Rye Fowl Meadow
and Wood Meadow
Hemp
Horse Radish Roots
Kohl Rabi, $\frac{1}{2}$ oz. to 100 ft. of drill 4 lbs.
Leek. $\frac{1}{2}$ oz. to 100 ft. of drill 4 lbs.
Lettuce, ¼ oz. to 100 ft. of drill 3 lbs.
Martynia, 1 oz. to 100 ft. of drill 5 · lbs. Melon. Musk. 1 oz. to 100 hills 1 to 3 lbs.
Horse Radish Roots
Nasturtium, 2 oz. to 100 ft. of drill15 lbs.
Okra, 1 oz. to 100 ft. of drill 8 lbs.
Onion Seed, $\frac{1}{3}$ oz. to 100 ft. of drill4 to 5 lbs. Onion Seed for sets
Onion Sets. 1 quart to 4) ft. of drill
Parsnip, 1/4 oz. to 100 ft. of drill 3 lbs.
Parsley, ¹ / ₄ oz. to 100 ft. of drill 3 lbs.
Peas, garden, 1 pint to 100 ft. of drill1 to 3 bu. Peas, field
Permar 1 or to 1 500 member 3 or
Pumpkin, 1/4 quart to 100 hills
Radish, % oz. to 100 ft. of drill10 to 12 lbs. Rye
Rye 1½ 1½ 1½ 1½ bu. Salsify, 34 62. to 100 ft. of drill. 8 lbs. 11/2 bu. Spinach, ½ 02. to 100 ft. of drill. 8 lbs. 11/2 bb. Summer Savory 3/4 lbs. 11/2 bb. 11/2 bb.
Spinach. ½ oz. to 100 ft. of drill 8 lbs.
Summer Savory 34 lbs.
Sunflower
Squash, Winter, 4 oz. to 100 hills
Tomato, 1 oz. to 4.500 plants 2 oz.
Tobacco, 1 oz. to 5,000 plants
Sunflower 8 lbs. Squash, Summer, 4 oz. to 100 hills. 2 lbs. Squash, Winter, 8 oz. to 100 hills. 2 lbs. Tomato, 1 oz. to 4.500 plants. 2 oz. Tobacco, 1 oz. to 5,000 plants. 2 oz. Turnip, 1 oz. to 250 ft. of drill. 1 to 3 lbs. Vetches 2 bu.
Average Time Required for Garden Seeds to Germinate.
Bean 5 to 10 Lettuce 6 to 8
Reat 7 to 101 Onion 7 to 10
Cabbage 5 to 10 Pea 6 to 10 Carrot 12 to 18 Parsnip 10 to 20 Caulidower 5 to 10 Pener 9 to 14
Cauliflower 5 to 10 Pepper
Cauliflower 5 to 10 Pepper 9 to 14 Celery 10 to 20 Radish 3 to 6
Celery 10 to 20 Radish 3 to 6 Corn
(1)(1) $(1)(1)$ $(1)(1)(1)$ $(1)(1)(1)$ $(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)($
Time Required for Maturity of Different Garden Crops Reckoned from the Day of Sowing the Seed.
Days. Days.
Boong String AF to CF Malon Marsh 190 to 140
Beans, Shell 65 to 70 Melon, Water120 to 140
Beets, Turnip
Beets, Turnip 65 Onion 135 to 150 Beets, Long Blood 150 Pepper 140 to 150 Cabbage, Early. 105 Pepper 140 to 150
Beets, Long Blood 65 Onion 135 to 150 Cabbage, Early 150 Pepper 140 to 150 Cabbage, Late 150 Radish 30 to 45
Beets, Long Blood 65 Onion
Beets, Long Blood 65 Onion
Beets, Long Blood 65 Onion 135 to 150 Cabbage, Early 150 Pepper 140 to 150 Cabbage, Late 150 Radish 30 to 45

Japan Clover (Lespedeza Striata)

Japan Clover, or Lespedeza is a native of Eastern Asia, that was first found in this country in Central Georgia in 1846. It became conspicious throughout the South in pincy woods and old fields along the public roads, soon after the Civil War.

Lespedeza is a summer annual that begins its growth in the middle part of spring, but does not reach maturity until September and October. Over most of the Lespedeza area it grows only 4 to 6 inches high, thus it is a common idea that it is only adapted for grazing. Under favorable conditions, however, especially in the lower Mississippi Valley and around Baton Rouge that plant grows commonly to a height of 12 to 18 inches, and in exceptional cases 24 to 30 inches. Where the plants are thick and grow large and upright it often exceeds two tons per acre, exceptionally reaching 3 to 4 tons per acre.

Lespedeza grows in all types of soil, even in the poorest, and will stand severe drouth. Its high feeding value, which approaches Alfalfa, its ability to thrive under all sorts of conditions, and thus to furnish pasturage in the summer and fall until killed by frost. It will almost withstand any amount of grazing. In no sense can it be considered a weed, as it readily succumbs to cultivation. Like other clovers, it sometimes causes horses and mules to 'slobber."

It takes approximately 15 pounds of Lespedeza Seed to the acre, but in order to have a substantial stand, would advise to sow 25 pounds, or one bushel to the acre, using one of our Seeders to distribute the seed evenly, then allew the rain to beat them into the ground.

If it is desired to gather seed from the crop, it must be allowed to get exclusively ripe and raked before it becomes well dried. This will injure the quality of hay considerably, which should be used on the farm, as just such hay ruins the market for good hay. If it is not desired to market the hay, it could be pastured until June and if the stock is then removed, a good yield of hay could be obtained in October.

We are yours to command, if you desire any information, prices, etc., on the following Field Seeds and others:

> Alfalfa Red Clover White Clover Crimson Clover Burr Clover Alsike Clover Sweet Clover Cotton Corn Sorghums

Milo Maize Kaffir Corn Broom Corn Wheat Rye Barley Oats Velvet Beans Soja Beans Cowpeas Canada Peas Millets Peanuts Artichokes Stock Beets Stock Carrots Ruta Baga Rape Vetch Grasses

Should there be anything in the line of Farm and Garden requirements that you are interested in, don't fail to write us, as we are obliged to omit the many varieties of Seeds, Spray Pumps, Insecticides, Poultry Remedies, Disinfectants, Implements, etc., etc.

Per Pound or Less, Add 5c For Postage and 1c For Each Additional Pound

PRICE LIST SUBJECT TO MARKET CHANGES

Artichoke	Ounce \$.10	Pound \$.55	CABBAGE— Ounce All Head	e Pound) \$2.25
Per Dozen, 25c; Per 100, \$1.50 Asparagus Roots, 2 Years Old, Per Dozen, Per 100, \$1.00		.65	All Season) 2.25
			CABBAGE,) 2.20
BEANS, POLE— Kentucky Wonder	Pint .15	Gallon 1.00	PREMIUM LATE FLAT DUTC	
White Crease Back	.15	1.00	Holland	
Southern Prolific Early Golden Cluster	.15	1.00	Hen. Succession	5 2.50
Wax	.20	1.00	Prairie Winter2 Glory of Enkhuzen2	
Large Lima Small White Lima	$.15 \\ .15$	$\begin{array}{c} 1.00\\ 1.10\end{array}$	Copenhagen Market2	5 2.50
BEANS, BUSH-	.10	1.10	Faultless.2Surehead.2	
Extra Early Refugee.	.15	.90	Large Late Drumhead2	5 - 2.50
Extra Early Red	15	7 5	Stone Mason	
Valentine Early Mohaw	$.15 \\ .15$.75 .80	Early York2	0 2.00
Black Valentine	.20	1.10	Early Large York	
Longfellow Davis White Wax	$.15 \\ .20$	$\begin{array}{c} 1.00 \\ 1.50 \end{array}$	Early Large Wakefield2	0 2.00
Wardwell's Kidney		1 50	Early Winningstadt2 Early Dwarf Flat Dutch .2	
Wax Weber Wax	$.20 \\ .20$	$\begin{array}{c} 1.50 \\ 1.50 \end{array}$	Early Spring	0 2.00
Henderson Bush Lima	.15	1.20	Imp. American Savoy	2.00
Stringless German Black Wax	$.15 \\ .15$	$\begin{array}{c} 1.25\\ 1.50\end{array}$	CUCUMBERS-	
BEETS-			Chicago or Westerfield Pickling	5 .90
Crosby's Egyptian	.10	.65	Green Prolific or Boston	
Crimson Globe Early Egyptian	$.10 \\ .10$	$.65 \\ .65$	Pickling	
Bastians	.10	.65	Early Frame or Short	
Half Long Blood Lent Turnip	$.10 \\ .15$	$.65 \\ .75$	Green	
Early Eclypse	.15	.75	Imp. Long Green	
Swiss Chard or Silver		.60	Evergreen White Spine .1 CELERY-	.0 .75
BEETS, CATTLE OR SU Long Red	JGAR- .10	.50	· · · · · · · · · · · · · · · · · · ·	6.00
Yellow Globe	.10	.40	Perfection Hartwelt2	20 2.25
Golden Tankard	.10	.40	CHERVIL-	05 0.00
CARROTS— Early Short Horn	.10	.80		25 2.00
Ox Heart	.10	.80	CORN, SWEET— Pin Mammoth White Cory	t Gallon LO .60
Chantenay Danvers		.80 .80	Early Minnesota	.60
St. Valery	.10	.80		10 .60 10 .60
Large White Belgian.	.10	.75	Perry's Hybrid	.75
CAULIFLOWER— Early Snowball :	2.00	18.00		10 .60 10 .60
Large Algiers	1.00	10.00		io .60

PRICE LIST Subject To Market Changes

.

Corn, Field	MELONS, WATER Ounce Pound
Gallon Package	Sweet Heart\$.10 \$.75
Imp. Early Learning\$.25 .40 St. Charles Red Cob .25 .40	Florida Favorite10 .75
White Pearl	Cole's Early
Iowa Silver Mine25 .40	Kleckley Sweet
Golden Dent	Ice Cream
Red and White Creole25 .50	Kolb's Gem10 .75
COLLARD — Ounce Pound	Tom Watson
True Georgia15 .80	Lone Star
Creole10 .65	Bradford10 .75
	Stockes10 .75 MUSTARD-
CowPEAS-Ask for prices.	Chinese Large Leaved15 .75
Egg Plants-	Bloomsdale
Imp. N. Y. Purple40 4.75	
Black Pekin	Fordhook
	Ostrich Plume
ENDIVE— Green-Curled	Black or White London,
White Curled	for Seasoning10 .35
Broad-Leaved Batavian15 1.25	NATURTIUM-
	Dwarf
KALE- Dwarf Green Curled	Tall or Trailing10 1.25
	OKRA-
German20	
Kohlrabi-	Tall Green. .10 .60 White Velvet .10 .75
White Vienna25 2.00	
LERVG	ONIONS-
LEEKS- Large London Flag	Large Red Westerfield20 1.50 Australian Brown
Large London Flag15 1.00	Yellow Danvers
LETTUCE-	White Portugal
Black Seeded Simpkins15 1.25	Philadelphia Silver Skin .25 2.50
Paris White Co's 20 1.50	Red Bermuda25 2.50
Early Curled Silesia 20 1.50	Yellow Bermuda
Prize Head	White Crystal Wax
Early Tennis Ball 20 1.40	ONTONE ONTO
Cal. Cream Butter	White Crystal Wax15 1.00
All Season	Yellow Bermuda Globe10 .65
Big Boston	Red Bermuda Globe 10 .65
Passion .20 1 50 Royal Cabbage. .20 1.50	White Shallots
Royal Cabbage	Red Shallots
MELONS, MUSK-	Evergreen Multipliers15 .75
Rockford	
Hackensack	
New Orleans Market 10 .75 Burrell Gem 10 .75	Large Bell or Bull Nose25 2.00 Ruby King
The Osage	
Emerald Gem10 .75	Long Red Cayenne25 2.05
Per Pound or Less, Add 5c For Post	age and 1c For Each Additional Pound

PRICE LIST

Subject To Market Changes

.

Parsley-	SPINACH-
Ounce Pound Double Curled \$.10 \$.75 Plain .10 .75	Victoria Savoy Leaved10 .35 Round Summer Broad
Parsnip-	Leaved
Hollow Crown .10 .75 Guernsey .10 .75	Long Standing10 .35 Bloomsdale10 .35
Peas-	Squash-
PintGallonAlaska.20.90First and Best20.90Nott's Excelsior.251.25Everbearing.251.25Sutton's Dwarf Defiance.251.25Telephone.251.25Potlach.251.25	Mammouth White Bush10 .75 Mammouth Yellow Bush .10 .75 Hubbard
Champion of England25 1.10 White Marrowfat15 .80 Blackeye Marrowfat15 .80	on bulk lots.
Peas, Sweet-	TOBACCO-
Ounce Pound Flowering, Mixed Colors .10 1.25	
POTATOES, Leading Varieties.	Tomato-
Ask for prices. PUMPKIN-	Sparks Earliana
Conneticut Field	Dwarf Champion
Kentucky Field	Perfection
Large Cheese or Pie10 .40 Potiron	
Cashaw Green Striped15 .75	
Cashaw White Striped15 .75	
RADISH-	TURNIP-
Scarlet Turnip White	The The LATTICE MELLING 15 00
Tipped	D
Deep Scarlet Turnip 10 .60 French Breakfast 10 .60	
Long White Vienna and	Large Amber Globe
Strassburg	
Chartier10 .60) White Egg
Long Black Spanish10 .60	Early White Flat Dutch10 .40
Crimson Giant	Early Purple Top Strap
Roquette-	Leaved10 .40 Ruta Baga10 .40
	Hutu Dugu
	VEGETABLE PEARS-
SALSIFY— .15 1.4	

VEGETABLE PLANTS

We Pay Postage and Express

1	Per Doz.	Per 100	Per 1000
Asparagus Roots	\$.20	\$1.00	\$ 6.00
Artichokes Plants		1.75	10.00
Cabbage Plants-Seasonable Varieties	.10	.50	3.75
Cauliflower Plants		1.00	7.50
Celery Plants-Seasonable Varieties	.15	.60	. 5.50
Eggplant Plants-Leading Varieties	.25	1.25	6.50
Pepper Plants-Leading Varieties	.25	1.10	6.00
Tomato Plants-Leading Varieties	.20	.75	3.75
Lettuce Plants-Leading Varieties	.10	.25	2.00
Onion Plants-Leading Varieties	.10	.25	2.00
Strawberry Plants-Hoffman	.10	.50	4.50
Strawberry Plants-Lady Thompson [*]	.10	.60	4.50
Strawberry Plants-Klondyke	.10	.60	5.00
Strawberry Plants-Excelsior	.15	.75	5.75
Strawberry Plants- Senator Dunbar	.15	.75	5.75

FLOWER PLANTS

· · ·	Per Doz.	Per 100
Pansy Plants-Medium	.15	\$1.00
Pansy Plants-Large Flowering	.20	1.25
Daisy Plants-Large Double	15	1.00 -
Daisy Plants-Shaster	50	4.00
Salvia Plants	.50	4.00
Crysanthemum Plants	50	4.00
Geranium Plants	1.00	7.50
Carnation Plants	1.50	9.00

For Any of The Above Plants Add 20 Per Cent to Cover Postage

BULBS--HOLLAND

	Each	Dozen	Per 100
Anemones		\$.30	\$ 1.50
Crocus	03	.25	1.50
Freesia Rrfracto		.25	1.50
Gladiouls	.05	.50	5.50
Gloxinias		1.00	7.50
Hyacinth–Roman	.05	.50	3.50
Hyacinth-Dutch	.05	.50	3.50
Jonguil	05	.40	3.00
Narcissus	05	.40	3.00
Ranunclus	.05	.25	1.50
Tuberoses		.40	3.00
Easter Lilly Bermuda	15	1.50	10.00

Add 5 Cents Per Dozen For Postage

Let Us Know Your Wants. Get Our Special Quotations on Special Orders.

Poultry and Stock Remedies and Supplies

•	Per fb	Per 100 35
Scratch Hen Feed	$.02\frac{1}{2}$	\$ 2.25
Chick Feed	.03	2.40
Pigeon Feed	.03	2.50
Chowder	.04	2.59
Bees Scraps		4.50
Alfalfa Meal	.55	2.50
Bone Meal	.05	3.25
Cracked Bone		3.25
Charcoal	.05	1.50
Pearl Grit	.02	1.50
Oyster Shells	.02	1.50
Canada Peas	.05	4.25
Hunp Seed		6.00
Canary Seed	.15	12.00
Millet Seed	.03	2.50
Sunflower		8.50
Poultry Conditioner	.35	.60
Laying Tonic	.25	.55

REMEDIES

Post paid

	Don't Worry!
	≹Conkey Will Cure
and the second	Me

	Fust paid
Roup Remedy	30c-55c
Cholera	30c 55c
Bronchitis	55c
Gape	30c-55c
Scaly Leg	30c-55c
Chicken Pox	
Limbeaneck	
Lice Powder	30c
Poultry Worm.	55c
White Diarrhoea	30c-55c
Headlice Ointment	15c-30c
Poultry Laxative	55c
Starting Food	32-60c

Pratts & Conkeys Foods and Remedies

Stock Tonic, Stock Regulator, Worm Powder Fly-Knocker and Disinfectants

WE HAVE ALSO

Crockery and Galvanized Drinking Fountains, Grit and Shell Boxes, Brooder Coops, Self-Locking Leg Bands, Etc

SEND FOR LARGE DESCRIPTIVE CATALOG

BUCKEYE INCUBATORS



It will produce equally as good hatches as the Standard Machines. A Buckeye will hatch a chicken from every hatchable egg.


All Buckeye Incubators Sold With a Positive Guarantee

Style "H" Capacity, 60 Eggs

Not a Toy Not An Experiment
A GENUINE BUCKEYE

With All The Desirable Buckeye Features

Style "E" Capacity, 60 Eggs



PRICES OF INCUBATORS

	Capacity	Crated Weight	Price
Ltyle ''E''	$60 \mathrm{Eggs}$	55	\$ 7.50
Style ''H''		75	10.00
Standard No. 60		80	14.00
" No. 1	110 ''	110	18.00
" No. 2	175 '	135	23.00
" No. 3	250 ''	200	30.00
" No. 4	350 ''	230	35.00
" No. 5	600 ''	325	56.00

BROODERS

	C	apacity	Crated Weight	Price
No. 7–Indoor Type	. 75	Chicks	125	\$12.50
No. 8—Indoor Type	150	" "	175	17.50
No. 9-Outdoor Type	75	" "	150	16.00
No. 10-Outdoor Type	150	" "	220	22.50

Buckeye Goods are Sold on 40 Days Trial. There are over 325,000 Buckeye Incubators in successsul operation. There is a reason

ASK FOR LARGE DESCRIPTIVE CATALOG

Poultry Department

White Leghorn

Hens, each at\$2.00	Pullets, each at \$1.75
Cocks, each at 3.00	Cockerels, each at
Eaga Dan Gammy	

EGGS, PER SETTING OF 15 AT \$2 CO

White Wyandot

Hens, each at\$2.50	Pullets, each at \$2.00
	Cockerels, each at 3.00
Eggs, Per Settin	JG OF 13 AT \$2.00

Barred Plymouth Rock

Hens, each at \$2.50	Pullets, each at \$2.00
Cocks, each at 3.50	Cockerels, each at 3.00

EGGS, PER SETTING OF 13 AT \$2.00

White Orpington

Hens, each at\$2.75	Pullets, each at\$2.50		
Cocks, each at 3.75	Cockerels, each at 3.50		
FCCS PER SETTING OF 13 AT \$2.00			

EGGS, PER SETTING OF 13 AT \$2.00

Rhode Island Reds

Hens, each at \$2.50) Pullets, each at\$2.00		
Cocks, each at 3.50) Cockerels, each at		
EGGS. PER SETTING OF 13 AT \$2.00			

Indian Runner Ducks

Drakes, each at	\$3.00	Hens, each at	\$2.00
Eggs,	PER SETTIN	IG OF 11 AT \$2.00	

We can also supply numerous other breeds of Fancy Stock Poultry---both for utility and prize winning. Let us know your wants.

ALL THE LEADING LINES OF POULTRY FOODS AND REMEDIES

We Respectfully Submit the Following Suggestions for Your Consideration

- 1. That a larger vegetable diet instead of much meat possibly might be of benefit to your health and that of your family.
- 2. That a diet of vegetables is more economical than a meat diet.
- 3. That the kitchen garden is the surest way of securing fresh vegetables, as the purchased vegetable is most frequently old and inferior.
- 4. That if you do not plant your yard and care for it, the weeds will grow and become ugly and offensive.
- 5. That you plant your vegetables in long rows instead of little beds and do without stooping, the work of six hoes with our wheeled garden cultivator.
- 6. That the work of making a garden is as healthful a physical exercise as golf and as mentally stimulating as chess, the work for ladies and gentlemen.
- 7. That no house can be complete in its setting without well-kept gardens, lawns and flowers.
- 8. That no place can possibly be mean that has about it gardens, lawns and flowers grown from our vegetable, grass and flower seed.
- 9. That we buy seed in bulk that is fresh and tested; not old and returned commission seed.
- 10. That the superior seed we handle is here within your reach when you want it without the trouble, expense and delay of sending for it.
- 11. That this seed is as reasonable in price and as good seed as can be secured.
- 12. That in buying your seed or other supplies of us, you are keeping the dollars and pennies at home.
- 13. That we certainly do appreciate your trade fully.
- 14. That you buy at once before some varieties of seed, made scarce by the war and bad climatic conditions, be exhausted.
- 15. That if you will submit us a list of your future seed wants upon which we may figure, we will save you much more than the express or postage plus the cost of sending and be here to see the result of the seed we sell you.

Lehmann's Seed Store 245 Main Street Baton Rouge, Louisiana

Flowers, Plants and Seeds